

This is the peer reviewed version of the following article:

An analytical approach for the design of innovative hairpin winding layouts / Arzillo, A.; Nuzzo, S.; Braglia, P.; Franceschini, G.; Barater, D.; Gerada, D.; Gerada, C.. - (2020), pp. 1534-1539. (Intervento presentato al convegno 2020 International Conference on Electrical Machines, ICEM 2020 tenutosi a swe nel 2020) [10.1109/ICEM49940.2020.9270927].

Institute of Electrical and Electronics Engineers Inc.

Terms of use:

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

12/10/2024 01:56

(Article begins on next page)

An Analytical Approach for the Design of Innovative Hairpin Winding Layouts

A. Arzillo, S. Nuzzo, P. Braglia, G. Franceschini, D. Barater, D. Gerada, C. Gerada

Abstract – This work deals with an analytical approach aimed at accurately predicting Joule losses in innovative hairpin winding layouts. While hairpin windings are seeing an ever-increasing use in automotive and aerospace applications due to their inherently high slot fill factor, they also present drawbacks such as the non-uniform current distribution potentially occurring across their cross section. This phenomenon is emphasized at high frequencies, leading to a significant increase of the effective conductor resistance and, consequently, of copper losses. Hence, particular attention has to be given to the design of electrical machines employing hairpin conductors, aiming to reduce the high-frequency losses as much as possible.

In this paper, an analytical model based on previous investigations is updated and modified in order to increase the degrees of freedom in the design and analysis of hairpin windings. With the developed analytical model, the copper losses associated to innovative hairpin configurations can be accurately predicted. The findings also confirm that such alternative layouts can effectively reduce the Joule losses when compared to traditional hairpin technologies.

Index Terms– hairpin, analytical model, AC losses, asymmetric windings, segmented windings, high-speed motors

I. INTRODUCTION

IN recent years, the trend in electric motors (EMs) production is to design smaller and more powerful, i.e. high power density, devices to meet stringent requirements demanded nowadays especially by the traction-drive world.

There are several ways to increase power density in an EM [1]. A very effective way consists in maximizing the amount of copper within the EM's slot or, in other words, the slot fill factor. This is defined as the ratio between the amount of electric conductor material and the available winding space. Increasing this ratio means that, for a given slot area, more copper material can be inserted within the slot, thus resulting in a number of possible improvement implications (e.g. higher number of conductors, reduced machine size, reduced resistance, etc.) which finally would lead to more power dense devices.

Therefore, several works have focused on increasing the

This project has received funding from the Clean Sky 2 Joint Undertaking under the European Union's Horizon 2020 research and innovation program under grant agreement No. 865354.

A. Arzillo, P. Braglia, S. Nuzzo, G. Franceschini and D. Barater are with the Melting Lab Group, Department of Engineering "Enzo Ferrari", University of Modena and Reggio Emilia, Modena, Italy (e-mail: stefano.nuzzo@unimore.it).

S. Nuzzo is also with the Power Electronics, Machines and Control Group, University of Nottingham, Nottingham, UK (e-mail: stefano.nuzzo@nottingham.ac.uk).

D. Gerada and C. Gerada are with the the Power Electronics, Machines and Control Group, University of Nottingham, Nottingham, UK (e-mail: david.gerada@nottingham.ac.uk).

fill factor in EMs equipping random wound, round windings. Orthocyclic and layer windings can achieve fill factors in the range of 65-70% [1], but they need specific and expensive machineries. Other techniques have been proposed, such as pressing tooth-wound coils teeth [3], obtaining fill factors up to 75%, but they are limited to concentrated windings.

On the other hand, using conductors with rectangular cross sections inherently represents a means to achieve high fill factors in EMs. In fact, when the slot features parallel sides, the rectangular shape of the conductors perfectly matches that of the slot. This technology, already in use in automotive applications [4], besides ensuring high fill factors, provides a good industrial automation for mass production [5].

The need for large production scale is forcing the automotive industry to push towards fully automated processes for the manufacturing of EMs. In this context, hairpin windings match this high automation requirement and can be a valid solution for mass production replacing random windings [6], [7]. Although hairpin windings enable the aforementioned opportunities, they present several limitations from both an electromagnetic [8] and technological point of view [9], [10].

In fact, due to their large cross section, hairpins suffer at high frequencies of high (AC) losses due to skin [11] and proximity effects [12], [13]. These high-frequency, parasitic effects, combined together, make the current flow through the area farthest from the center of the conductor, thus reducing the effective conductor's cross section and, consequently, increasing the winding resistance and losses.

As an example, Fig. 1 shows a finite-element (FE) visualization of the coexistence of these two parasitic phenomena in wires featuring a round cross section, and how frequency can affect the non-uniform current distribution.




Fig. 1 Non uniform current distribution due to the combined effects of skin and proximity phenomena: a) 500Hz b) 1000Hz.

However, while round conductors can be subdivided in several sub-conductors (e.g. litz wires) to reduce such effects, the technological restrictions of hairpin conductors pose a

constraint on the physical size, i.e. their height cannot be smaller than $\approx 1\text{mm}$. Such technological limitations are accentuated by the high number of bending and welding points needed to ensure the electric continuity of the winding [14].

Aiming to address the above challenges, a lot of research effort has been dedicated to the characterization of these windings and to the estimation of the associated AC copper losses [15], [16].

However, to date, there is no configuration able to drastically improve hairpin winding performance at high frequencies, and the available tools are only able to predict losses within conventional hairpin structures. In this work, a more flexible analytical tool is proposed, allowing to accurately evaluate losses within non-conventional hairpin structures, which eventually permit overcoming the current challenges associated to such type of winding.

II. CLASSICAL ANALYTICAL MODEL

As mentioned in Section I, analytical models aimed at predicting losses in hairpin conductors are already available in literature [15]-[17].

The classical model considers the basic scenario reported in Fig. 2, consisting of a rectangular solid conductor (outlined by the orange line) carrying sinusoidal current, surrounded on three sides by ferromagnetic material featuring infinite permeability and representing the slot (outlined by the black lines). The current creates a magnetic field strength H and leakage flux, which crosses the slot and the conductor rectilinearly (i.e. along the x -axis) as shown in the figure, i.e. the magnetic field strength H and the flux density B have only x -axis components within the conductor, whereas the current density J and the electric field E have only z -axis components.




Fig. 2 Reference geometry for the classical analytical model.

Generally speaking, AC losses in a rectangular conductor are defined as in (1), where b_c and h_c are respectively width and height of the conductor, σ_c is its conductivity and l is the active conductor (and core) length. Equation (1) shows that AC losses are strictly connected to the current density J . This means that reducing J is equivalent to reducing motor losses.

$$P_{AC} = \int_0^{h_c} (J b_c dy)^2 \frac{l}{\sigma_c b_c dy} = \frac{b_c l}{\sigma_c} \int_0^{h_c} J^2 dy \quad (1)$$

When k conductors fill the slot drawn in Fig. 1, the classical model returns a current density distribution along the y -axis

(i.e. along the conductor height) defined as in (2), with a and δ expressed as in (3) and (4). This model assumes that the current I flowing inside the k conductors is always the same, and this is a significant limitation when parallel paths are used.

$$J_{z,k}(y) = a \frac{I}{b_c} \left[\frac{k \cosh(ay) - (k-1) \cosh[a(y-h_c)]}{\sinh(ah_c)} \right] \quad (2)$$

$$a = \frac{(1+i)}{\delta} \quad (3)$$

$$\delta = \frac{1}{\sqrt{\pi f \sigma \mu}} \quad (4)$$

To evaluate AC losses, usually a coefficient is used to correlate them to the DC losses, i.e. those associated to the “real” (i.e. at low frequencies) value of the conductor’s resistance. This coefficient, namely K_r , is defined in (5) as the ratio of AC to DC resistances.

$$K_{rk} = \frac{R_{AC}}{R_{DC}} = \frac{P_{AC}}{P_{DC}} = \frac{b_c^2 h_c}{I^2} \int_0^{h_c} J^2 dy \quad (5)$$

To simplify the study, in [17], the equivalent expression (6) for K_r is provided, considering series connected conductors. In (6), the two terms φ and ψ are introduced and their expressions are given in (7) and (8). These two quantities are expressed as a function of the variable ζ , which is defined in (9), where ω is angular speed and μ_0 is the permeability of vacuum.

$$K_{rk} = k(k-1) \psi(\zeta) \varphi(\zeta) \quad (6)$$

$$\varphi(\zeta) = \zeta \frac{\sinh(2\zeta) + \sin(2\zeta)}{\cosh(2\zeta) - \cos(2\zeta)} \quad (7)$$

$$\psi(\zeta) = 2\zeta \frac{\sinh(\zeta) - \sin(\zeta)}{\cosh(\zeta) + \cos(\zeta)} \quad (8)$$

$$\zeta = \sqrt{\frac{1}{2} \omega \mu_0 \sigma_c \frac{b_c}{b}} \cdot h_c = \alpha \cdot h_c \quad (9)$$

The model presented above is normally used for predicting current densities and losses in solid conductors, thus including conventional hairpin windings. However, it is based on the assumption of having all the slot conductors connected in series, i.e. they carry the same current. This offers a low flexibility in terms of hairpin design, which indeed can be imagined differently from their conventional layout.

In the next section, two innovative hairpin configurations are first presented as possible means to reduce the AC losses. Then, an update of the classical analytical model is proposed taking into account such non-standard structures.

III. UPDATED ANALYTICAL MODEL

To reduce losses in hairpin windings several methods have been already developed, such as decreasing the height of the conductors without adding extra conductors or decreasing their size while increasing the number of conductors within a slot. The first solution (Fig. 3a) is not ideal for meeting the fill

factor maximization target, since part of the slot is left empty [15]. The second option (Fig. 4) increases the manufacturing complexity, i.e. the number of conductors to bend and weld in the motor is higher [20].




Fig. 3 Conventional solutions to reduce AC losses in hairpin windings

Transposition of conductors is also often used to reduce losses, as studied in [20]. In Fig. 4, a comparison between non-transposed (in blue) and transposed (in red) windings is carried out in terms of current density, using the classical analytical model recalled in Section II. Fig. 4 demonstrates that when the conductors are not transposed (or transposed incorrectly), they behave as one bigger conductor with ensuing higher current densities. This effect obviously must be avoided since introduces unacceptable current densities which lead to additional losses and heat generation.




Fig. 4 Effect of transposition on the current density

Additional techniques and winding layouts are currently under investigation at the University of Modena and Reggio Emilia, aiming to mitigate the negative aspects related to hairpin technologies. These include:

1. Hairpins with variable cross sections, i.e. variable thicknesses along the slot height in order to guarantee a constant value of K_r inside the slot;
2. Hairpins split in parallel paths in proximity of the slot openings in order to reduce the current density in the most critical conductors.

To analyze such configurations, the classical analytical model needs to be slightly modified. More specifically, in (1) h_c should not be considered a constant value anymore when referring to option 1, while (2) should account for different current values according to number of parallel paths selected, when referring to option 2. This means that the updated analytical model is based on the same foundation as the classical one, but the boundary conditions should vary for each conductor. This also implies that the model presented in (6) is no longer valid due to the changed boundary conditions. In light of this, it is much simpler to start from the general solution of the current density reported in (10), where α is the

quantity introduced in (9). To calculate the two constants C_1 and C_2 , firstly (10) is differentiated thus leading to (11). Then (12), which derives from elaborating Maxwell's equations, is used and evaluated using suitable boundary conditions.

$$\underline{J} = C_1 e^{(1+j)\alpha y} + C_2 e^{-(1+j)\alpha y} \quad (10)$$

$$\frac{\partial J}{\partial y} = (1+j)\alpha e^{(1+j)\alpha y} C_1 - (1+j)\alpha e^{-(1+j)\alpha y} C_2 \quad (11)$$

$$\frac{\partial J}{\partial y} = -j\omega\mu_0\sigma_c H \quad (12)$$

In particular, the boundary conditions are at $y=0$, where $H=0$, and at $y=h_{ci}$, with h_{ci} being the incremental height corresponding to the i^{th} hairpin of the slot. At $y=h_{ci}$, H must be evaluated taking into account that, of the k hairpins inside the slot, c of them are split in d parallel paths, thus the current flowing inside $n=k-c$ hairpins is I , whereas the current I/d flows in the remaining c hairpins. Finally, equating (11) and (12) at $y=0$ and at $y=h_{ci}$, a system of 2 equations in the 2 unknowns (i.e. C_1 and C_2) is obtained and then solved. This system is of the type $Ax=g$, where A and g are given in (13) and (14), respectively, and $x=(C_1 C_2)^T$.

$$A = \begin{bmatrix} (1+j)\alpha & -(1+j)\alpha \\ (1+j)\alpha e^{(1+j)\alpha h_{ci}} & -(1+j)\alpha e^{-(1+j)\alpha h_{ci}} \end{bmatrix} \quad (13)$$

$$g = \begin{pmatrix} -j\omega\mu_0\sigma_c H|_{y=0} \\ -j\omega\mu_0\sigma_c H|_{y=h_{ci}} \end{pmatrix} = \begin{pmatrix} 0 \\ -j\omega\mu_0\sigma_c H_{ci} \end{pmatrix} \quad (14)$$

In this way every conductor has its own calculation for the current density and this allows to envision and analyse more flexible winding layouts. A flowchart illustrating the developed methodology is shown in Fig. 5 for the sake of completeness.




Fig. 5 Upgraded analytical model flowchart

IV. VALIDATION VIA FE ANALYSIS

To validate the updated analytical model, an FE analysis is carried out using MagNet® software. In particular, the aim of this section is firstly that of proving the limits of the classical approach when unconventional structures are employed. Then, the effectiveness of the modifications applied to such classical model is proven by analysing the alternative winding layouts mentioned in Section III.

A. Brief description of the model

To verify the model accuracy many geometries and winding layouts are tested. Two-slot models are built to simulate all the case-studies. Particular attention is devoted to the elementary hairpins: each hairpin is modelled as a solid coil to take into account the skin and proximity effects possibly taking place at high frequencies; also, the mesh used is particularly fine inside the conductors. A 2D representation of the built FE model is shown in Fig. 6. During the realization of the windings, the basic connection rules [20] of hairpin windings have been used with particular attention to their transposition. The FE simulations are carried out using the time-harmonic solver. These evaluations, performed at a fixed frequency, return the current density along the conductors.

The FE solutions have been compared with those obtained with both the classical and the updated approaches.




Fig. 6 Two-slot FE model: a) geometry and 2) corresponding mesh

B. Results

As mentioned above, the aims of this section are to prove that the classical analytical model cannot correctly predict losses in certain cases and that the upgraded model is able to return losses in good agreement with FE, even when unconventional hairpin arrangements are considered.

All the simulation results presented hereafter are performed using the same slot geometry, the same supply frequency and current and the same hairpin width. These parameters are listed in Table I.

TABLE I
SIMULATION PARAMETERS

| Parameter | Value |
|----------------------|-------|
| Frequency [Hz] | 1000 |
| Slot width [mm] | 3 |
| Slot height [mm] | 10 |
| Current [A] | 100 |
| Conductor width [mm] | 2.75 |

1) Classical model: analytical vs. FE results

When the slot conductors are all connected in series and feature identical cross sections, the classical hairpin winding

is achieved, and the classical analytical approach described in Section II can be utilized for the loss evaluation. In addition, with such model, it is possible to predict losses in hairpins with variable cross section along the slot height, but only when the conductors are series-connected. Fig. 7 shows the case of 4 series-connected conductors with identical height equal to 2.25mm, i.e. the conventional hairpin winding. As expected, the classical analytical model is able to predict losses in a very accurate way when a conventional hairpin winding is analysed. In fact, the analytical results are in excellent agreement with the FE ones.




Fig. 7 Conventional hairpins: classical analytical model vs. FE results

By varying h_c along the slot height, i.e. hairpins with variable cross sections, and using the opportune h_c values in (2), the classical model, slightly manipulated, can be also used. Fig. 8 shows the comparison in terms of current density between analytical and FE results, when 4 slot conductors featuring variable cross section are investigated. Here, the two conductors in proximity of the slot bottom have a bigger cross section, i.e. 2.75x3mm, whereas the second group of two hairpins are thinner, with an area of 1.5x2.75mm. Also in this case, analytical and FE results are in excellent agreement.




Fig. 8 Hairpins with variable cross section: classical analytical model (slightly updated) vs. FE results

Unfortunately, when parallel paths for some of the elementary hairpins are considered, the classical model needs a further modification to allow for an accurate estimation of the current density, as explained in Section III. In particular, always considering the case with 4 series-connected conductors within the slot and splitting 2 of them (i.e. those in proximity of the slot opening) in 2 parallel paths, the classical model is still accurate for the non-split conductors, while it significantly overestimates the current density (and consequently losses) in the “segmented” hairpins. This concept is proven in Fig. 9, while a detail of the connection concept is reported in Fig. 10 for the sake of clarity. Besides

noticing that the classical model is inaccurate when considering such unconventional layout, it is also worth highlighting that this kind of winding is very promising in terms of loss reduction (see the FE curve in Fig. 9). Therefore, an upgrade of the classical analytical model is needed.




Fig. 9 Hairpins with parallel paths: classical analytical model vs. FE




Fig. 10 Winding connections for 4 series-connected equivalent hairpins, where the last two are split in 2 parallel paths

2) Updated analytical model: analytical vs. FE results

First the updated model described in Section III has been evaluated on the conventional hairpin configuration studied in Fig. 7. A very good match between FE and analytical results can be observed in Fig. 11.




Fig. 11 Conventional hairpins: updated analytical model vs. FE results




Fig. 12 Hairpins with parallel paths: updated analytical model vs. FE results

Moving to the analysis of the segmented hairpin layout, Fig. 12 proves that the new model can very accurately predict the current density within each conductor, including those split and connected in parallel. In Fig. 12, where the same case

study as in Fig. 9 has been used, an almost perfect match between analytical and FE results is achieved, thus finally demonstrating the effectiveness of the updates applied to the classical approach.

V. CONCLUSIONS

In this study, updates and variations to the classical analytical model used for estimating current densities and AC losses within rectangular conductors were proposed.

The proposed model is still based on the classical approach but allows to flexibly vary the boundary conditions when unconventional winding layouts are investigated. With these modifications, the analytic model can accurately predict losses even in such innovative winding configurations. To prove its validity, several comparisons against FE results were shown.

The importance of having a fast, flexible and accurate model is further strengthened by the innovative winding arrangements presented in this paper as a means to overcome the challenges related to conventional hairpin windings, i.e. high AC losses. In particular, hairpins with variable cross sections or with parallel paths were investigated, showing very promising results in this perspective. Hairpins with parallel paths, when also transposed, are characterized by a smaller cross section and by a smaller current than the others. As a result, the segmented conductors near the slot opening feature a lower current density and, as a consequence, lower AC losses than the conventional hairpin windings.

Future researches will focus on the optimization and the practical feasibility of these unconventional winding layouts, with the final goal of reducing the AC losses and push the frequency limit at which hairpin windings can be employed.

VI. ACKNOWLEDGMENT

This project has received funding from the Clean Sky 2 Joint Undertaking under the European Union's Horizon 2020 research and innovation program under grant agreement No. 865354.

VII. REFERENCES

- [1] Y. Wang, G. Vakil, S. Nuzzo, M. Degano, M. Galea, C. Gerada, H. Zhang, N. Brown "Sensitivity analysis for performance and power density improvements in salient-pole synchronous generators", IEEE Workshop on Electrical Machines Design, Control and Diagnosis (WEMDCD), pp. 33-38, 2017.
- [2] J.P. Stenzel, P. Dollinger, J. Richnow and J. Franke, "Innovative needle winding method using curved wire guide in order to significantly increase the copper fill factor," 2014 17th International Conference on Electrical Machines and Systems (ICEMS), Hangzhou, 2014, pp. 3047-3053.
- [3] M. C. Kulan, N. J. Baker and J. D. Widmer, "Design and Analysis of Compressed Windings for a Permanent Magnet Integrated Starter Generator," in IEEE Transactions on Industry Applications, vol. 53, no. 4, pp. 3371-3378, July-Aug. 2017.
- [4] N. Bianchi and G. Berardi, "Analytical Approach to Design Hairpin Windings in High Performance Electric Vehicle Motors," 2018 IEEE Energy Conversion Congress and Exposition (ECCE), Portland, OR, 2018, pp. 4398-4405.
- [5] T. Ishigami, Y. Tanaka and H. Homma, "Motor stator with thick rectangular wire lap winding for HEVs," 2014 International Power Electronics Conference (IPEC-Hiroshima 2014 - ECCE ASIA), Hiroshima, 2014, pp. 1880-1885.

- [6] A. Mayr et al., "Evaluation of Machine Learning for Quality Monitoring of Laser Welding Using the Example of the Contacting of Hairpin Windings," 2018 8th International Electric Drives Production Conference (EDPC), Schweinfurt, Germany, 2018, pp. 1-7.
- [7] A. Kampker, P. Treichel, K. D. Kreisköther, M. Krebs and M. K. Büning, "Ex-Ante Process-FMEA for Hairpin Stator Production by Early Prototypical Production Concepts," 2018 8th International Electric Drives Production Conference (EDPC), Schweinfurt, Germany, 2018, pp. 1-8.
- [8] I. Lope, C. Carretero, J. Acero, R. Alonso and J. M. Burdío, "AC Power Losses Model for Planar Windings With Rectangular Cross-Sectional Conductors," in *IEEE Transactions on Power Electronics*, vol. 29, no. 1, pp. 23-28, Jan. 2014.
- [9] T. Glaessel, J. Seefried and J. Franke, "Challenges in the manufacturing of hairpin windings and application opportunities of infrared lasers for the contacting process," 2017 7th International Electric Drives Production Conference (EDPC), Würzburg, 2017, pp. 1-7.
- [10] A. Riedel et al., "Challenges of the Hairpin Technology for Production Techniques," 2018 21st International Conference on Electrical Machines and Systems (ICEMS), Jeju, 2018, pp. 2471-2476.
- [11] T. Dordea, I. Torac, G. Madescu, V. Proca, M. Mot and L. Ocolisan, "The current distribution on the elementary conductors of the Roebel bar," The XIX International Conference on Electrical Machines - ICEM 2010, Rome, 2010, pp. 1-5.
- [12] C. Du-Bar and O. Wallmark, "Eddy Current Losses in a Hairpin Winding for an Automotive Application," 2018 XIII International Conference on Electrical Machines (ICEM), Alexandroupoli, 2018, pp. 710-716.
- [13] D. Jung, Y. Kim, U. Lee and H. Lee, "Optimum Design of the Electric Vehicle Traction Motor Using the Hairpin Winding," 2012 IEEE 75th Vehicular Technology Conference (VTC Spring), Yokohama, 2012, pp. 1-4.
- [14] F. Wirth, T. Kirgör, J. Hofmann and J. Fleischer, "FE-Based Simulation of Hairpin Shaping Processes for Traction Drives," 2018 8th International Electric Drives Production Conference (EDPC), Schweinfurt, Germany, 2018, pp. 1-5.
- [15] C. Du-Bar, A. Mann, O. Wallmark and M. Werke, "Comparison of Performance and Manufacturing Aspects of an Insert Winding and a Hairpin Winding for an Automotive Machine Application," 2018 8th International Electric Drives Production Conference (EDPC), Schweinfurt, Germany, 2018, pp. 1-8.
- [16] D. B. Pinhal and D. Gerling, "Driving Cycle Simulation of Wound-Rotor Synchronous Machine with Hairpin Windings Considering AC-Losses," 2019 IEEE Transportation Electrification Conference and Expo (ITEC), Detroit, MI, USA, 2019, pp. 1-7.
- [17] J. Pyrhönen, T. Jokinen, V. Hrabovcová, "Design of Rotating Electrical Machines", Second Edition, 2014
- [18] P. Mellor, R. Wrobel and N. Simpson, "AC losses in high frequency electrical machine windings formed from large section conductors," 2014 IEEE Energy Conversion Congress and Exposition (ECCE), Pittsburgh, PA, 2014, pp. 5563-5570.
- [19] N. Bianchi and G. Berardi, "Analytical Approach to Design Hairpin Windings in High Performance Electric Vehicle Motors," 2018 IEEE Energy Conversion Congress and Exposition (ECCE), Portland, OR, 2018, pp. 4398-4405.
- [20] G. Berardi and N. Bianchi, "Design Guideline of an AC Hairpin Winding," 2018 XIII International Conference on Electrical Machines (ICEM), Alexandroupoli, 2018, pp. 2444-2450.

VIII. BIOGRAPHIES

Andrea Arzillo received the B.Sc. degree in Mechanical Engineering from the University of Udine, Udine, Italy, in 2017. Since September 2017, he is a M.Sc. in Vehicle Engineering at the University of Modena and Reggio Emilia, Modena, Italy. He is currently working on his M.Sc. thesis project, which deals with the development of advanced analytical tools or the design, analysis and optimization of unconventional hairpin windings.

Stefano Nuzzo (S'17-M'18) received the B.Sc. and M.Sc. degrees in Electrical Engineering from the University of Pisa, Pisa, Italy, in 2011 and 2014, respectively. He received his Ph.D. degree in Electrical Engineering in 2018 from the University of Nottingham, Nottingham, U.K., where he is

currently working as a Research Fellow within the Power Electronics, Machines and Control (PEMC) Group. Since January 2019, he is also a Research Fellow at the Department of Engineering "Enzo Ferrari" at University of Modena and Reggio, Modena, Italy. His research interests are the analysis, modelling and optimizations of electrical machines, with focus on salient-pole synchronous generators and brushless excitation systems for industrial power generation applications. He is also involved in a number of diverse projects related to the more electric aircraft initiative and associated fields. Dr. Nuzzo is a Member of the IEEE Industrial Electronics Society (IES) and the IEEE Industry Applications Society (IAS). He constantly serves the scientific community as a reviewer for several journals and conference.

Pietro Braglia received the B.Sc. and M.Sc. degrees in Electronic Engineering from the University of Modena and Reggio Emilia, Modena, Italy. He is Research Grant Holder working on "AUTO-MEA", which is an European project aiming to develop electrical motors and drives for next generation of electrical mobility.

Giovanni Franceschini received the M.Sc. degree in Electronic Engineering from the University of Bologna, Bologna, Italy. He is currently the Full Professor of Electric Drives with the Department of Engineering "Enzo Ferrari", University of Modena and Reggio Emilia, Modena, Italy. He was the Coordinator of the European Project ALEA, to achieve complete and accurate lifetime models for electrical drives in aerospace applications. He is the author or co-author of more than 150 international papers. His research interests include power electronics for e-mobility and motor drives control and diagnostic.

Davide Barater (S'11-M'14) received the M.Sc. degree in Electronic Engineering in 2009 and the Ph.D. degree in Information Technology in 2014 from the University of Parma Italy. He was an honorary scholar at the University of Nottingham, U.K., during 2012, and a visiting researcher at the University of Kiel, DE in 2015. He is currently Assistant Professor at Department of Engineering "Enzo Ferrari", University of Modena and Reggio Emilia, Italy. His research area is focused on power electronics for e-mobility and motor drives. He is the Coordinator of two European Project: RAISE, to evaluate the impact of the high voltage gradients, introduced by the fast commutations of new wide bandgap power devices (SiC, GaN), on the life time of electrical motor insulation systems; AUTO-MEA that aims to develop electrical motors and drives for next generation of electrical mobility. He is Associate Editor of IEEE Transactions on Industry Applications and author or co-author of more than 60 international papers.

David Gerada received the Ph.D. degree in high-speed electrical machines from the University of Nottingham, Nottingham, UK in 2012. From 2007-2016 he was with the R&D Department at Cummins, first as an Electromagnetic Design Engineer (2007-2012), and then as a Senior Electromagnetic Design Engineer and Innovation Leader (2012-2016). At Cummins he pioneered the design and development of high-speed electrical machines, transforming a challenging technology into a reliable one suitable for the transportation market, while establishing industry-wide used metrics for such machinery. In 2016 he joined the University of Nottingham as a Senior Fellow in Electrical Machines, responsible for developing state of the art electrical machines for future transportation which push existing technology boundaries, while propelling the new technologies to higher technology readiness levels (TRL). Dr. Gerada is a Chartered Engineer in the U.K. and a member of the Institution of Engineering and Technology.

Chris Gerada is an Associate Pro-Vice-Chancellor for Industrial Strategy and Impact and Professor of Electrical Machines. His principal research interest lies in electromagnetic energy conversion in electrical machines and drives, focusing mainly on transport electrification. He has secured over £20M of funding through major industrial, European and UK grants and authored more than 350 referred publications. He received the Ph.D. degree in numerical modelling of electrical machines from The University of Nottingham, Nottingham, U.K., in 2005. He subsequently worked as a Researcher with The University of Nottingham on high-performance electrical drives and on the design and modelling of electromagnetic actuators for aerospace applications. In 2008, he was appointed as a Lecturer in electrical machines; in 2011, as an Associate Professor; and in 2013, as a Professor at The University of Nottingham. Prof. Gerada served as an Associate Editor for the IEEE Transactions on Industry Applications and is the past Chair of the IEEE IES Electrical Machines Committee.