

This is the peer reviewed version of the following article:

Draft genome sequence of plant growth-promoting *Streptomyces* sp. strain SA51, isolated from olive trees / Shiva Krishna Prasad Vurukonda, Sai; Mandrioli, Mauro; D'Apice, Greta; Stefani, Emilio. - In: MICROBIOLOGY RESOURCE ANNOUNCEMENTS. - ISSN 2576-098X. - 9:1(2020), pp. e00768-19-e00768-19. [10.1128/MRA.00768-19]

Terms of use:

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

13/05/2026 01:29

(Article begins on next page)

Smart Proof System Instructions

It is recommended that you read all instructions below; even if you are familiar with online review practices.

Using the Smart Proof system, proof reviewers can easily review the PDF proof, annotate corrections, respond to queries directly from the locally saved PDF proof, all of which are automatically submitted directly to **our database** without having to upload the annotated PDF.

- ✓ **Login into Smart Proof** anywhere you are connected to the internet.
- ✓ **Review the proof** on the following pages and mark corrections, changes, and query responses using the **Annotation Tools**.

Note: Editing done by replacing the text on this PDF is not permitted with this application.



- ✓ **Save your proof corrections** by clicking the "Publish Comments" button.
Corrections don't have to be marked in one sitting. You can publish comments and log back in at a later time to add and publish more comments before you click the "Complete Proof Review" button below.
- ✓ **Complete your review** after all corrections have been published to the server by clicking the "Complete Proof Review" button below.

Before completing your review.....

Did you reply to all author queries found in your proof?

Did you click the "Publish Comments" button to save all your corrections?
Any unpublished comments will be lost.


Note: Once you click "Complete Proof Review" you will not be able to add or publish additional corrections.

Adding Comments and Notes to Your PDF


IMPORTANT: Composition cannot be completed until the author review is complete and all changes and author query answers have been added to this proof. Author queries are found at the end of this pdf.

To facilitate electronic transmittal of corrections, we encourage authors to utilize the comments and notes features in Adobe Acrobat. The PDF provided has been “comment-enabled,” which allows you to utilize the comments and notes features, even if using only the free Adobe Acrobat reader (see note below regarding acceptable versions). Adobe Acrobat’s Help menu provides additional details on the tool. When you open your PDF, the comments/notes/edit tools are clearly shown on the tool bar (though icons may differ slightly among versions from what is shown below).


For purposes of correcting the PDF proof of your journal article, the important features to know are the following:


- Use the **Text Edits tool**, , to insert, replace, or delete text.

- To **insert text**, place your cursor at a point in text and select “Insert Text at Cursor” from the text edits menu. Type your additional text in the pop-up box.



- To **replace text** (do this instead of deleting and then re-inserting), highlight the text to be changed, select “Replace Selected Text” from the text edits menu, and type the new text in the pop-up box.



- To **delete text**, highlight the text to be deleted and select “Cross Out Text for Deletion” from the text edits menu (see graphic above).
- Use the **Sticky Note tool**, , to describe changes that need to be made (e.g., changes in bold, italics, or capitalization use; altering or replacing a figure) or to answer a question or approve a change that was posed by the editor. To use this feature, click on the sticky note tool and then click on a point in the PDF where you would like to make a comment, then type your comment in the pop-up box.



- Use the **Callout tool**, , to point directly to changes that need to be made. Try to put the callout box in an area of white space so that you do not obscure the text, as in the example below.

Table 5
Experiment 4: Comparative Optimism as a Function of Self-Presentation and Event Valence

Self-presentation	Event					
	Positive		Negative		Total	
	<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>
Public/student	3.46	0.13	3.60	0.10	3.53	0.12
Public/expert	2.66	0.12	2.78	0.13	2.73	0.13
Control	2.39	0.11	2.46	0.09	2.43	0.11
Total	2.84	0.47	2.95	0.50		

The first column's entries should be flush left (except for "Total", which should be indented one em-space), as in Tables 1 and 2 previously.

- Use the **Highlight tool**, , to indicate font problems, bad breaks, and other textual inconsistencies. Describe the inconsistencies with the callout tool (shown) or a sticky note. One callout (or sticky note) can describe many changes.

$$du/dt = -\lambda v^\alpha = -\lambda u$$

$$du/u = -\lambda dt$$

$$u_t = ue^{-\lambda t}$$

Close up minus sign to lambda (3 times, highlighted)

An alternate method is to select the appropriate text with your cursor, select “**Add Note to Selected Text**” from the text edits menu, and then type your note in the pop-up box (the selected text is highlighted automatically).

As with hand-annotated proof corrections, the important points are to communicate changes clearly and thoroughly; to answer all queries and questions; and to provide complete information for us to make the necessary changes to your article so it is ready for publication.

To utilize the comments/notes features on this PDF you will need Adobe Reader version 7 or higher. This program is freely available and can be downloaded from <http://get.adobe.com/reader/>



Draft Genome Sequence of Plant Growth-Promoting *Streptomyces* sp. Strain SA51, Isolated from Olive Trees

Sai Shiva Krishna Prasad Vurukonda,^a Mauro Mandrioli,^b Greta D'Apice,^b Emilio Stefani^a

^aDepartment of Life Sciences, University of Modena and Reggio Emilia, Reggio Emilia, Italy

^bDepartment of Life Sciences, University of Modena and Reggio Emilia, Modena, Italy

ABSTRACT A streptomycete was isolated from the rhizosphere of olive trees in autumn of 2004. Its molecular characterization showed the presence of metabolic pathways promoting plant growth and additional properties that indicate this strain as a prospective agent for future biocontrol applications *in planta*. We report here the draft genome sequence of *Streptomyces avermitilis* strain SA51.

Plants are extensively colonized by a range of microorganisms, and such plant-microbe interactions may affect plant fitness and productivity. Indeed, the roots of many plants are infected and colonized by specific fungi (mycorrhizal association), rhizobia, and actinobacteria that help the plant to acquire nutrients from the soil (1–3). Actinobacteria, and streptomycetes in particular, are mostly important in plant (root) interactions with other soil components. *Streptomyces* spp. influence soil fertility through the involvement of many biotic and abiotic components and serve as nutrient uptake and plant growth enhancers. Streptomycetes are known to solubilize phosphates and produce siderophores; additionally, they synthesize and export enzymes like amylase, chitinase, cellulase, invertase, lipase, keratinase, peroxidase, pectinase, protease, phytase, and xylanase, which change the complex soil nutrients into simple mineral forms. This nutrient cycling capacity makes them ideal candidates for natural biofertilizers (4–7).

In the present study, the draft genome of strain SA51, isolated from the rhizosphere of an olive tree, has been characterized. Rhizospheric soil samples were collected and suspended in a sterile saline solution; suspensions were serially diluted, and replicates of 50- μ l samples were plated on International Streptomyces Project medium 2 (ISP-2) agar and incubated for 7 days at 28°C (8). Colonies resembling those of streptomycetes were purified on the same medium and checked for antagonistic activity against a set of phytopathogenic bacteria and fungi, and their plant growth promotion properties were evaluated on tomato as a model plant. Strain SA51, as the most active streptomycete, was subcultured three times on ISP-2 agar prior to DNA extraction. For genomic DNA extraction, single colonies of *Streptomyces* sp. strain SA51 were grown in tryptic soy broth (TSB) for 3 days at 28°C. Genomic DNA was extracted and purified using the DNeasy blood and tissue kit (Qiagen, Hilden, Germany), and its quantity and quality was checked using the NanoDrop One Microvolume UV-visible (UV-Vis) spectrophotometer (Thermo Fisher Scientific, Waltham, MA, USA), followed by gel electrophoresis. DNA sequencing was performed using an Illumina HiSeq 2000 sequencer. High-quality Illumina sequences libraries were prepared using the Nextera DNA Flex library prep kit. Genome assembly from paired-end sequence reads was done using the default parameters of the assembler module available in Geneious software v1.0 that includes quality control, trimming, and assembly steps using default parameters. Sequence alignment was done using the ClustalW and “Map to a reference” tools available in Geneious v1.0. Coverage was determined by alignment to the *S. avermitilis*

Citation Vurukonda SSKP, Mandrioli M, D'Apice G, Stefani E. 2020. Draft genome sequence of plant growth-promoting *Streptomyces* sp. strain SA51, isolated from olive trees. Microbiol Resour Announc 9:e00768-19. <https://doi.org/10.1128/MRA.00768-19>.

Editor David A. Baltrus, University of Arizona

Copyright © 2019 Vurukonda et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Emilio Stefani, emilio.stefani@unimore.it.

Received 27 June 2019

Accepted 13 November 2019

Published

TABLE 1 Strain SA51 genome contigs assembly report

Statistic	Value for:			
	Unassembled reads	All contigs	Contigs of ≥ 100 bp	Contigs of ≤ 1000 bp
Total no.	2,959	792	792	74
Minimum length (bp)	398	707	707	1,001
Median length (bp)		2,179	2,325	2,179
Mean length (bp)	1,088	2,832	2,832	2,969
Maximum length (bp)	14,732	23,079	23,079	23,079
N_{50} length (bp)		3,517	3,517	3,565
No. of contigs $\geq N_{50}$ value		199	199	193
Length sum (bp)	3,221,808	2,243,264	2,243,264	2,197,473

AQ: E reference genome (GenBank accession no. [NC_003155](#)) to be 30 \times , whereas the coverage breadth was 95.3%. The total genome size of strain SA51 is 5,465,072 bp (including 792 assembled contigs and 2,959 unassembled reads), with a GC content of 70.1%. The mean contig length was 2,832 bp, whereas the shorter and longer contigs were 707 bp and 23,079 bp, respectively (N_{50} length, 3,517 bp) (Table 1).

TI/AQ: F Annotation and subsystem coverage analysis was performed using the Rapid Annotation using Subsystems Technology (RAST) server with standard parameters (9) provided by the SEED project (10). Genome annotation with RAST identified 6,040 coding sequences (CDSs), 32 tRNAs, and 13 rRNAs in the SA51 genome. Amplification of the short subunit (SSU) 16S rRNA was carried out using the primer pair strepB (5'-ACAAGCCCTGGAAACGGGGT-3') and strepE (5'-CACCAGGAATCCGATCT-3') (11). The amplification was carried out in a 25- μ l total volume. PCRs were performed with 1 \times GoTaq Buffer, 0.8 μ M each of forward and reverse primer, 2 μ l DNA template, 200 μ M deoxynucleoside triphosphates (dNTPs), 1.250 mM MgCl₂, 1 U Taq polymerase; the remaining volume was added with nuclease-free water. PCR conditions started with predenaturation (94 $^{\circ}$ C, 5 min), followed by denaturation (94 $^{\circ}$ C, 60 s), annealing (55 $^{\circ}$ C, 60 s), elongation (72 $^{\circ}$ C, 1 min 30 s), and postelongation (72 $^{\circ}$ C, 5 min). Sanger sequencing of the 16S rRNA gene PCR, followed by nucleic acid sequence BLAST analysis (<https://blast.ncbi.nlm.nih.gov/Blast.cgi>) of the strains present in NCBI GenBank, revealed that strain SA51 was identified as *Streptomyces avermitilis*, with an identity of 97% and an E value of 0.3E-77.

AQ: G
AQ: H
AQ: I In order to identify genes involved in plant growth promotion, we made a construction of the SA51 metabolic profile using the Kyoto Encyclopedia of Genes and Genomes (KEGG) (12), thus providing evidence for the presence of genes involved in the pathway for indole alkaloid biosynthesis and in iron transport and metabolism, together with genes coding for proteins acting in the regulation of iron homeostasis. At the same time, based on RAST annotations, we provided evidence for the presence of genes and operons related to metal transporters and antibiotic biosynthesis, suggesting that SA51 could be involved in the biological control of plant pathogens and/or in the reshaping of the soil microbiota.

AQ: J Overall, these preliminary studies suggest that *S. avermitilis* strain SA51 deserves additional studies and provides insight into its capability to act as a growth-promoting microorganism in agricultural systems, together with its possible role in supporting the plant resistome.

AQ: K **Data availability.** The draft genome sequences were deposited at DDBJ/ENA/GenBank under BioProject no. [PRJNA545025](#) and accession number [VEXM00000000](#). The version described in this paper is the first version, VEXM01000000. The fastq files of the raw reads were deposited in the NCBI Sequence Read Archive SRA under accession number [SRR10416223](#).

ACKNOWLEDGMENT

AQ: L We thank CCS Aosta Srl (Quart, Italy) for financial support of a Ph.D. grant devoted to studying the role and use of beneficial microbes in agricultural systems (symbiotic agriculture).

REFERENCES

- Smith S, Read D. 1997. Mycorrhizal symbiosis. Academic Press, London, UK.
- Smith SE, Smith AF, Jakobsen I. 2003. Mycorrhizal fungi can dominate phosphate supply to plants irrespective of growth responses. *Plant Physiol* 133:16–20. <https://doi.org/10.1104/pp.103.024380>.
- Vurukonda S, Giovanardi D, Stefani E. 2018. Plant growth promoting and biocontrol activity of *Streptomyces* spp. as endophytes. *IJMS* 19:952. <https://doi.org/10.3390/ijms19040952>.
- Viaene T, Langendries S, Beirinckx S, Maes M, Goormachtig S. 2016. *Streptomyces* as a plant's best friend? *FEMS Microbiol Ecol* 92:fw119. <https://doi.org/10.1093/femsec/fiw119>.
- Massalha H, Korenblum E, Tholl D, Aharoni A. 2017. Small molecules below-ground: the role of specialized metabolites in the rhizosphere. *Plant J* 90:788–807. <https://doi.org/10.1111/tpj.13543>.
- Bais HP, Weir TL, Perry LG, Gilroy S, Vivanco JM. 2006. The role of root exudates in rhizosphere interactions with plants and other organisms. *Annu Rev Plant Biol* 57:233–266. <https://doi.org/10.1146/annurev.arplant.57.032905.105159>.
- Jog R, Nareshkumar G, Rajkumar S. 2016. Enhancing soil health and plant growth promotion by actinomycetes, p 33–45. *In* Gopalakrishnan S, Sathya A, Vijayabharathi R (ed), *Plant growth promoting actinobacteria*. Springer, Singapore.
- Shirling EB, Gottlieb D. 1966. Methods for characterization of *Streptomyces* species. *Int J Syst Bact* 16:313–340. <https://doi.org/10.1099/00207713-16-3-313>.
- Aziz RK, Bartels D, Best AA, DeJongh M, Disz T, Edwards RA, Formsma K, Gerdes S, Glass EM, Kubal M, Meyer F, Olsen GJ, Olson R, Osterman AL, Overbeek RA, McNeil LK, Paarmann D, Paczian T, Parrello B, Pusch GD, Reich C, Stevens R, Vassieva O, Vonstein V, Wilke A, Zagnitko O. 2008. The RAST Server: Rapid Annotations using Subsystems Technology. *BMC Genomics* 9:75. <https://doi.org/10.1186/1471-2164-9-75>.
- Overbeek R, Begley T, Butler RM, Choudhuri JV, Chuang HY, Cohoon M, de Crécy-Lagard V, Diaz N, Disz T, Edwards R, Fonstein M, Frank ED, Gerdes S, Glass EM, Goesmann A, Hanson A, Iwata-Reuyl D, Jensen R, Jamshidi N, Krause L, Kubal M, Larsen N, Linke B, McHardy AC, Meyer F, Neuweger H, Olsen G, Olson R, Osterman A, Portnoy V, Pusch GD, Rodionov DA, Rückert C, Steiner J, Stevens R, Thiele I, Vassieva O, Ye Y, Zagnitko O, Vonstein V. 2005. The subsystems approach to genome annotation and its use in the project to annotate 1000 genomes. *Nucleic Acids Res* 33:5691–5702. <https://doi.org/10.1093/nar/gki866>.
- Ramazani A, Moradi S, Sorouri R, Javani S, Garshasbi M. 2013. Screening for antibacterial activity of *Streptomyces* species isolated from Zanjan Province, Iran. *Int J Pharm Chem Biol S* 3:342–349.
- Kanehisa M, Goto S. 2000. KEGG: Kyoto Encyclopedia of Genes and Genomes. *Nucleic Acids Res* 28:27–30. <https://doi.org/10.1093/nar/28.1.27>.

AUTHOR QUERIES

Below are queries from the copy editor indicating specific areas of concern. Please respond in-line in the main text above, either by marking a change or indicating “ok.”

1

Composition will not be completed until a response is received for each query listed below.

AQau—Please make certain that all authors’ names are spelled correctly, and confirm the given-names and surnames are identified properly by the colors (this is important for how the names are indexed).

■ = Given-Name, ■ = Surname

AQau—An ORCID ID was provided for at least one author during submission. Please click the name associated with the ORCID ID icon (🟩) in the byline to verify that the link is working and that it links to the correct author.

AQinfo—Please review all affiliations and contact information for accuracy, including the corresponding author emails in the citation box on page 1 of the proof.

AQ: Links have been added to the proof for readers to access information concerning accession numbers cited in this paper. Please review the links to verify that they are opening to the correct information site online.

AQfund—The table below includes funding information that you provided on the submission form when you submitted the manuscript. This funding information will not appear in the article, but it will be provided to CrossRef and made publicly available. Please check it carefully for accuracy and mark any necessary corrections. If you would like statements acknowledging financial support to be published in the article itself, please make sure that they appear in the Acknowledgments section. Statements in Acknowledgments will have no bearing on funding data deposited with CrossRef and vice versa.

Funder	Grant(s)	Author(s)	Funder ID
Università Degli Studi di Modena e Reggio Emilia (UNIMORE)		Sai Shivakrishnaprasad Vurukonda	https://doi.org/10.13039/100009104

AQA—Please verify that the edited title is ok/correct, or edit further if necessary.

AQB—Please verify edits to the sentences beginning “Its molecular characterization showed...” and “Coverage was determined...,” or edit further if necessary.

AQC—Please verify or correct the expansions of ISP-2 and other abbreviations throughout.

AQD—Note that ASM style does not generally permit commercial URLs, so the geneious.com URL was removed.

AUTHOR QUERIES

Below are queries from the copy editor indicating specific areas of concern. Please respond in-line in the main text above, either by marking a change or indicating "ok."

2

Composition will not be completed until a response is received for each query listed below.

AQE—Note that "NC_003155.5" was changed to "NC_003155" per ASM style requirements to cite the main sequence number.

AQF—Please verify edits per ASM style/for clarity to Table 1, or edit further if necessary.

AQG—Please verify edits to the sentences beginning "Overall, these preliminary studies..." and "PCR conditions started..." or edit further if necessary.

AQH—Please verify edits to the the sentence beginning "Sanger sequencing..." or edit further if necessary.

AQI—Please verify that the E value of "E value of 0.3E-77" is correct/as meant, or edit if necessary.

AQJ—In the sentence beginning "At the same time, based on RAST..." is it correct that the genes/operons are related to (i) metal transporters and (ii) antibiotic synthesis, or are they related to synthesis of both metal transporters and antibiotics? Please verify, or edit further if necessary.

AQK—Please verify or further edit the "Data availability" paragraph. In particular, is "fataq files" correct, or should this be "fastq files"?

AQL—Please verify or further edit the Acknowledgment paragraph.
