

This is the peer reviewed version of the following article:

Chemometrics, imaging and spectroscopy laboratory - Department of Life Sciences, University of Modena and Reggio Emilia / Calvini, Rosalba; Foca, Giorgia; Ulrici, Alessandro. - In: NIR NEWS. - ISSN 0960-3360. - 32:1-2(2021), pp. 27-30. [10.1177/09603360211003755]

Terms of use:

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

23/04/2024 18:33

(Article begins on next page)

Chemometrics, Imaging and Spectroscopy Laboratory – Department of Life Sciences, University of Modena and Reggio Emilia

Rosalba Calvini, Giorgia Foca, Alessandro Ulrici*

*University of Modena and Reggio Emilia and Interdepartmental Centre BIOGEST-SITEA, Via Amendola 2,
Pad. Besta, 42122, Reggio Emilia, Italy*

*Corresponding author: alessandro.ulrici@unimore.it

Following the previous papers of our colleagues from the University of Genova¹ and from the University of Rome “La Sapienza”² in the series of articles presenting the Italian research groups active in the field of NIR spectroscopy, this paper aims at introducing the main activities of the Chemometrics, Imaging and Spectroscopy Laboratory (CHIMSLAB) of the University of Modena and Reggio Emilia.

The group is headed by Prof. Alessandro Ulrici, associate professor in Analytical Chemistry and Coordinator of the Research Doctorate School in Food and Agricultural Science, Technology and Biotechnology (STEBA) of the University of Modena and Reggio Emilia. CHIMSLAB team also includes Dr. Giorgia Foca, as assistant professor, and Dr. Rosalba Calvini, as post-doc researcher. We would also like to mention our former PhD students, Dr. Carlotta Ferrari and Dr. Giorgia Orlandi, who gave a fundamental contribution to our recent activities. In addition, in 2017 we had the pleasure to host Prof. Sylvio Barbon Junior (Computer Science Department, Londrina State University) and Dr. Ana Paula A. C. Barbon (Animal Science Department, Londrina State University) as visiting researchers.

CHIMSLAB research group is also affiliated to BIOGEST-SITEIA, the interdepartmental research centre of the University of Reggio Emilia working on the improvement and valorisation of agri-food biological resources.

The keywords in the group name recall our main research activities: the application and development of chemometric methods for data modelling with a specific interest in spectroscopic and imaging data. In particular, the application of near infrared (NIR) spectroscopy, computer vision and NIR hyperspectral imaging (NIR-HSI) in the agri-food sector represents a considerable part of our expertise. However, thanks to collaborations with other research groups, we had the possibility of applying chemometric modelling to a wide range of research fields, including cultural heritage³, electrochemical sensing⁴, microbiology^{5,6} and entomology^{7,8}, among others.

Concerning our research topics of main interest for the readers of NIR News, in the past years we focused on two key aspects of spectroscopic and imaging data analysis: variable selection and data dimensionality reduction.

Feature selection is a crucial aspect in the analysis of spectroscopic signals, since the selection of the spectral regions of interest for the problem at hand usually allows to discard noise and to obtain calibration or classification models with higher performances. For these reasons, starting from the beginning of our research activities, the application of state-of-art variable selection methods and the development of new selection strategies has represented key topic of our work⁹⁻¹³.

The importance of variable selection methods is even more relevant when dealing with NIR hyperspectral images. Indeed, usually industrial applications require sorting technologies meeting the requirements of fast time of analysis and low costs. Therefore, variable selection is generally applied to hyperspectral data acquired at the laboratory scale in order to find few wavelengths relevant for the problem at hand to be implemented in a faster and cheaper multispectral imaging system. In this context, a recent collaboration with Prof. Jose Amigo (University of Basque Country) and Caffè Molinari S.p.a aimed at simulating the implementation of a multispectral imaging system based on only four wavelengths for the classification of Arabica and Robusta green coffee beans. The four wavelengths were selected through the application of sparse-based variable selection methods to hyperspectral data, and the key aspect of our simulation consisted in the identification of relevant descriptors derived from the reflectance values registered at the four wavelengths in order to obtain classification performances similar to those obtained with the hyperspectral imaging system^{14,15}.

The second key topic of our research activity concerns the development of data dimensionality methods for the analysis of large datasets of RGB or hyperspectral images. These methods essentially consist in converting the three-dimensional image arrays into one dimensional signals, which in turn can be considered like a sort of fingerprint codifying the properties of interest of the original images. The main advantage of this kind of approach is the possibility of converting large datasets of images into matrices of signals, that can be further analysed using chemometric methods for data exploration and for the development of calibration or classification models.

Considering RGB images, this method consists in transforming each image into a signal, named colourgram, which codifies its colour-related properties. The proposed approach has been successfully applied in several food related applications, including the quantification of pigments and sensory attributes in pesto sauce¹⁶, the detection of skin defects in raw hams^{17,18}, the determination of grape phenolic ripening¹⁹, the automated identification of defective kernels in maize²⁰ and hazelnuts²¹, and the detection of packaging residuals in former food products²². Currently, we are applying the colourgrams approach for the automated in-field determination of grape phenolic

ripening using a smartphone integrated in a portable acquisition case. The satisfactory results obtained in the frame of Research Project SOSTINNOVI²³ allowed us to obtain the Italian patent²⁴ and at present we are extending the effectiveness of this approach on different typical vines of Emilia-Romagna Italian region.in the frame of the Research Project VITEVEN (“Technological innovation for efficient grape harvest forecast – VITEVEN”, Emilia Romagna PSR 2014-2020 Project n° 5111597).

Starting from the colourgrams approach described above for RGB images, we have developed a similar data dimensionality reduction method for NIR-hyperspectral images, which consists in transforming the dataset of hyperspectral images into a matrix of signals, named hyperspectrograms, accounting for spectral and/or spatial features of interest²⁵. The hyperspectrograms are obtained by merging in sequence quantities derived from a Principal Component Analysis model, which can be calculated separately for each image of the dataset (Single Space Hyperspectrograms, SSH) or considering all the images altogether (Common Space Hyperspectrograms, CSH). The effectiveness of the hyperspectrograms approach has been tested on different food related issues, such as early bruise detection on apples²⁶, the characterization of green coffee beans²⁷, the detection of bacteria in food²⁸ and the quantification of rind amount in grated Parmigiano Reggiano cheese²⁹. The hyperspectrograms approach will be also applied in the frame of the incoming European Research Project HALY.ID (“HALYomorpha halys IDentification: Innovative ICT tools for targeted monitoring and sustainable management of the brown marmorated stink bug and other pests”, – EU ERA-NET COFUND ICT-AGRI-FOOD), whose aim is to use NIR-HSI sensors to identify fruit damages caused by the infection of *Halymorpha halys* (L.) and other pests.

In order to simplify the analysis of RGB and hyperspectral images through our data dimensionality reduction approaches, we have developed two graphical user-friendly interfaces (GUIs) in MATLAB environment, namely Colourgrams GUI³⁰ and Hyperspectrograms GUI, which are freely downloadable from our website³¹.

Over the years we have established national and international collaborations with research institutes through research works and funded projects dealing with the application of NIR spectroscopy and NIR-HSI mainly in the agri-food sector. Such collaborations involved the University of Milano, the University of Genova, the University of Rome “La Sapienza”, the University of Copenhagen, the University of Basque Country, the Londrina State University and the Institute for Food and Agricultural Research and Technology (IRTA) of the Government of Catalonia, among others.

In addition to research activities, also technology transfer and collaboration with companies represent a crucial part of our work. In the past years, we collaborated with companies producing flour and backed products (East Balt Italia Srl, Molino Quaglia Spa and Buhker AG) to develop strategies to

monitor the quality of their products and to study the relationship between chemical and technological properties of flour doughs and quality parameters of the final products. Recently, we established a collaboration with Parmigiano Reggiano Cheese Consortium to evaluate the possibility of using NIR-HSI to quantify the rind amount in grated Parmigiano Reggiano cheese products. Moving to the recycling sector, we collaborated with MUSA Srl in RICIPLA project for the development of a classification model for the classification of plastic polymers in a waste sorting system based on NIR-HSI³². In the frame of this collaboration, we developed a novel version of Partial Least Squares Discriminant Analysis (PLS-DA) classification algorithm, named Soft PLS-DA, which allows to maximise the separation between the classes of interest (as classical PLS-DA) and, at the same time, to reject possible outlier samples. The MATLAB code to apply Soft PLS-DA can be downloaded from our website³¹.

Concerning the equipment of our laboratory, we have a Bruker Optic MPA FT-NIR spectrophotometer working in the 4000 – 12500 cm⁻¹ spectral range and equipped with three sampling tools: transmission unit, integrating sphere and fiber optic probe. For hyperspectral image acquisition, we have a line-scanning NIR hyperspectral imaging system (NIR Spectral Scanner, DV Optic) working in the 900 – 1700 nm spectral range with a spectral resolution of 5 nm. The hyperspectral system is equipped with a Specim Inspector N17E imaging spectrometer coupled to a Xenics Xeva – 1.7-320 camera (320×256 pixels) embedding Specim Oles 31 f/2.0 optical lens.

CHIMSLAB group is also strongly involved in teaching activities both in institutional courses held at the University of Modena and Reggio Emilia and in schools and pre-conferences courses about NIR spectroscopy and chemometrics.

In the MSc in Food Control and Security of the University of Modena and Reggio Emilia, Alessandro Ulrici holds the courses in “Elaboration of experimental data” and “Chemometrics for food control”. We also supervise MSc students who want to carry out their project thesis in the field of NIR spectroscopy, imaging and chemometrics, frequently in collaboration with agri-food companies of our territory. As an example, some recent thesis projects in collaboration with food companies were related to the application of NIR spectroscopy and chemometrics for quality monitoring of Parmigiano Reggiano cheese and for the development of calibration models able to predict the composition of raw and processed meat products.

We also have courses in the Research Doctorate School in Food and Agricultural Science, Technology and Biotechnology, including “Applications of multivariate analysis in the agri-food context”, “Infrared spectroscopy in food analysis”, “Colour and chemical imaging: RGB and hyperspectral image analysis for food monitoring” and “Introduction to MATLAB environment”.

As mentioned before, our teaching activity is not limited to courses at the University-level, but it also includes the participation and organization of schools and pre-conferences courses. Recently our group was involved in two schools organised by the Italian Society of NIR Spectroscopy (SISNIR): the Summer School on image analysis and hyperspectral imaging, held in Rome in September 2017, and the Winter School—Combining NIR spectroscopy and chemometrics, held in Milano in January 2019. Generally, we are strongly involved in the activities organized by SISNIR such as the organization of conferences and pre-conferences courses, and in 2018 Alessandro Ulrici was elected as member of SISNIR Board.

Our group is also connected with the Italian chemometric community; indeed in 2019 Rosalba Calvini was elected as member of the Board of the Divisional Group of Chemometrics within the Italian Chemical Society, and from 2017 to 2019 this position was covered by Giorgia Foca.

References

1. Malegori C and Mustorgi E, Analytical Chemistry and Chemometrics Group, Department of Pharmacy, University of Genova: an update. *NIR News 2020*; 31: 30–33.
2. Marini F, Analytical chemistry and chemometrics group, Department of Chemistry – University of Rome “La Sapienza”. *NIR News 2020*; 31(7-8): 20-22.
3. Pagnin L, Calvini R, Wiesinger R et al., Photodegradation kinetics of alkyd paints: the influence of varying amounts of inorganic pigments on the stability of the synthetic binder. *Frontiers in Materials 2020*, 7: 423.
4. Pigani L, Simone Vasile G, Foca G et al., Prediction of parameters related to grape ripening by multivariate calibration of voltammetric signals acquired by an electronic tongue. *Talanta 2018*, 178: 178-187.
5. Raimondi S, Nappi M R, Sirangelo T M et al., Bacterial community of industrial raw sausage packaged in modified atmosphere throughout the shelf life. *Int. J. Food Microbiol.* 2018, 280: 78-86.
6. Raimondi S, Luciani R, Sirangelo T M et al., Microbiota of sliced cooked ham packaged in modified atmosphere throughout the shelf life: Microbiota of sliced cooked ham in MAP. *Int. J. Food Microbiol.* 2019, 289: 200-208.
7. Maistrello L, Vaccari G, Caruso S et al., Monitoring of the invasive *Halyomorpha halys*, a new key pest of fruit orchards in northern Italy. *J. Pest Sci.* 2017, 90(4), 1231-1244.
8. Bortolini S, Macavei L I, Saadoun J H et al., *Hermetia illucens* (L.) larvae as chicken manure management tool for circular economy. *J. Clean. Prod.* 2020, 121289.
9. Cocchi M, Corbellini M, Foca G et al., Classification of bread wheat flours in different quality categories by a wavelet-based feature selection/classification algorithm on NIR spectra. *Anal. Chim. Acta 2005*, 544(1-2): 100-107.
10. Cocchi M, Durante C, Foca G et al., Durum wheat adulteration detection by NIR spectroscopy multivariate calibration. *Talanta 2006*, 68(5): 1505-1511.
11. Cocchi M, Seeber R and Ulrici A, Multivariate calibration of analytical signals by WILMA (wavelet interface to linear modelling analysis). *J. Chemom.* 2003, 17(8-9): 512-527.

12. Foca G, Salvo D, Cino A et al., Classification of pig fat samples from different subcutaneous layers by means of fast and non-destructive analytical techniques. *Food Res. Int.* 2013, 52(1): 185-197.
13. Foca G, Ferrari C., Ulrici A. et al. Iodine value and fatty acids determination on pig fat samples by FT-NIR spectroscopy: Benefits of variable selection in the perspective of industrial applications. *Food Anal. Methods* 2016, 9(10): 2791-2806.
14. Calvini R, Ulrici A and Amigo J M, Practical comparison of sparse methods for classification of Arabica and Robusta coffee species using near infrared hyperspectral imaging. *Chemom. Intell. Lab. Syst.* 2015, 146: 503-511.
15. Calvini R, Amigo J M and Ulrici A, Transferring results from NIR-hyperspectral to NIR-multispectral imaging systems: A filter-based simulation applied to the classification of Arabica and Robusta green coffee. *Anal. Chim. Acta* 2017, 967: 33-41.
16. Foca G, Masino F, Antonelli A et al., Prediction of compositional and sensory characteristics using RGB digital images and multivariate calibration techniques, *Anal. Chim. Acta* 2011, 706 (2): 238-245.
17. Ulrici A, Foca G, Ielo M C et al. Automated identification and visualization of food defects using RGB imaging: application to the detection of red skin defect of raw hams, *Innov. Food Sci. Emerg. Technol.* 2012, 16: 417-426.
18. Lopes J F, Barbon A P A, Orlandi G et al., Dual Stage Image Analysis for a complex pattern classification task: Ham veining defect detection. *Biosyst. Eng.* 2020, 191, 129-144.
19. Orlandi G, Calvini R, Foca G. et al., Data fusion of electronic eye and electronic tongue signals to monitor grape ripening. *Talanta* 2019, 195, 181-189.
20. Orlandi G, Calvini R, Foca G. et al., Automated quantification of defective maize kernels by means of Multivariate Image Analysis, *Food Control* 2018, 85: 259-268.
21. Giraud A, Calvini R, Orlandi G. et al., Development of an automated method for the identification of defective hazelnuts based on RGB image analysis and colourgrams, *Food Control* 2018, 94: 233-240.
22. Calvini R, Luciano A, Ottoboni M. et al., Multivariate image analysis for the rapid detection of residues from packaging remnants in former foodstuff products (FFPs)—a feasibility study. *Food Addit. Contam.: Part A* 2020, 1-13.
23. <http://www.sostinnovi.eu/>
24. Italian Patent n. 102018000004498 issued on April 30, 2020.
25. Ferrari C, Foca G and Ulrici A, Handling large datasets of hyperspectral images: Reducing data size without loss of useful information. *Anal. Chim. Acta* 2013, 802: 29-39.
26. Ferrari C, Foca G, Calvini R et al., Fast exploration and classification of large hyperspectral image datasets for early bruise detection on apples. *Chemom. Intell. Lab. Syst.* 2015, 146: 108-119.
27. Calvini R, Foca G and Ulrici A., Data dimensionality reduction and data fusion for fast characterization of green coffee samples using hyperspectral sensors. *Anal. Bioanal. Chem.* 2016, 408(26): 7351-7366.
28. Foca G, Ferrari C, Ulrici A et al., The potential of spectral and hyperspectral-imaging techniques for bacterial detection in food: A case study on lactic acid bacteria. *Talanta* 2016, 153: 111-119.

29. Calvini R, Michelini S, Pizzamiglio V et al., Exploring the potential of NIR hyperspectral imaging for automated quantification of rind amount in grated Parmigiano Reggiano cheese. *Food Control* 2020, 112: 107111.
30. Calvini R, Orlandi G, Foca G et al., Colourgrams GUI: A graphical user-friendly interface for the analysis of large datasets of RGB images. *Chemom. Intell. Lab. Syst.* 2020, 196: 103915.
31. <http://www.chimslab.unimore.it/downloads/>
32. Calvini R, Orlandi G, Foca G et al., Development of a classification algorithm for efficient handling of multiple classes in sorting systems based on hyperspectral imaging. *J. Spectral Imaging* 2018, a13.