

CORRECTION

Correction: Improving Diagnostic Accuracy of Dermoscopically Equivocal Pink Cutaneous Lesions with Reflectance Confocal Microscopy in Telemedicine Settings: Double Reader Concordance Evaluation of 316 Cases


J. Łudzik, A. M. Witkowski, I. Roterman-Konieczna,
S. Bassoli, F. Farnetani, G. Pellacani

The second affiliation for the first author is incorrect. The correct affiliation is not indicated. J. Łudzik is not affiliated with #2 but with: Jagiellonian University Medical College, Department of Bioinformatics and Telemedicine, Kraków, Poland.

The corresponding author's email address is incorrect. A. M. Witkowski's email address is: aw@medvice.health.

Reference

1. Łudzik J, Witkowski AM, Roterman-Konieczna I, Bassoli S, Farnetani F, Pellacani G. Improving Diagnostic Accuracy of Dermoscopically Equivocal Pink Cutaneous Lesions with Reflectance Confocal Microscopy in Telemedicine Settings: Double Reader Concordance Evaluation of 316 Cases. PLoS One. 2016;11(9):e0162495. <https://doi.org/10.1371/journal.pone.0162495> PMID: [27606812](https://pubmed.ncbi.nlm.nih.gov/27606812/)



OPEN ACCESS

Citation: Łudzik J, Witkowski AM, Roterman-Konieczna I, Bassoli S, Farnetani F, Pellacani G (2016) Correction: Improving Diagnostic Accuracy of Dermoscopically Equivocal Pink Cutaneous Lesions with Reflectance Confocal Microscopy in Telemedicine Settings: Double Reader Concordance Evaluation of 316 Cases. PLoS One 21(1): e0340311. <https://doi.org/10.1371/journal.pone.0340311>

Published: January 2, 2016

Copyright: © 2016 Łudzik et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.