World Journal of Gastrointestinal Oncology

World J Gastrointest Oncol 2020 May 15; 12(5): 514-603





Contents

Monthly Volume 12 Number 5 May 15, 2020

ORIGINAL ARTICLE

Basic Study

- 514 Free fatty acids receptors 2 and 3 control cell proliferation by regulating cellular glucose uptake Al Mahri S, Al Ghamdi A, Akiel M, Al Aujan M, Mohammad S, Aziz MA
- 526 Identification of integrin β 6 gene promoter and analysis of its transcription regulation in colon cancer cells Niu W, Bo QY, Niu J, Niu ZC, Peng C, Zou XQ, Zhang ZY

Case Control Study

535 Characterization and strong risk association of TLR2 del -196 to -174 polymorphism and Helicobacter pylori and their influence on mRNA expression in gastric cancer Lourenço CDM, Susi MD, Nascimento MCA, Serafim Junior V, Vila APS, Rodrigues-Flemming GH, Goloni-Bertollo EM, Silva AE, Oliveira-Cucolo JGD

Retrospective Cohort Study

549 Neutropenia in colorectal cancer treated with oxaliplatin-based hyperthermic intraperitoneal chemotherapy: An observational cohort study Cashin PH, Ghanipour L, Enblad M, Morris DL

Retrospective Study

- 559 Perioperative chemotherapy for advanced gastric cancer - results from a tertiary-care hospital in Germany Bauer K, Manzini G, Henne-Bruns D, Buechler P
- 569 Gastric cancer with peritoneal metastases: Efficiency of standard treatment methods Yarema R, Ohorchak M, Hyrya P, Kovalchuk Y, Safiyan V, Karelin I, Ferneza S, Fetsych M, Matusyak M, Oliynyk Y, Fetsych T
- 582 Association of Helicobacter pylori infection with colorectal polyps and malignancy in China Wang M, Kong WJ, Zhang JZ, Lu JJ, Hui WJ, Liu WD, Kang XJ, Gao F

Observational Study

592 Perineural invasion as a prognostic factor in patients with stage I-III rectal cancer - 5-year follow up Stojkovic Lalosevic M, Milovanovic T, Micev M, Stojkovic M, Dragasevic S, Stulic M, Rankovic I, Dugalic V, Krivokapic Z, Pavlovic Markovic A

LETTER TO THE EDITOR

Espresso coffee, caffeine and colon cancer Mattioli AV, Farinetti A



Contents

World Journal of Gastrointestinal Oncology Volume 12 Number 5 May 15, 2020

ABOUT COVER

Editorial Board Member of World Journal of Gastrointestinal Oncology, Kenneth Siu Ho Chok, FACS, FRCS (Ed), MBBS, MD, Associate Professor, Department of Surgery, The University of Hong Kong, Hong Kong, China

The primary aim of World Journal of Gastrointestinal Oncology (WJGO, World J

AIMS AND SCOPE

Gastrointest Oncol) is to provide scholars and readers from various fields of gastrointestinal oncology with a platform to publish high-quality basic and clinical research articles and communicate their research findings online. WJGO mainly publishes articles reporting research results and findings obtained in the field of gastrointestinal oncology and covering a wide range of topics including islet cell adenoma, liver cell adenoma, adenomatous polyposis coli, appendiceal neoplasms, bile duct neoplasms, biliary tract neoplasms, hepatocellular carcinoma, islet cell carcinoma, pancreatic ductal carcinoma, cecal neoplasms, colonic neoplasms, colorectal neoplasms, hereditary nonpolyposis colorectal neoplasms, common bile duct neoplasms, duodenal neoplasms, esophageal neoplasms, gallbladder neoplasms, etc.

INDEXING/ABSTRACTING

The WJGO is now indexed in Science Citation Index Expanded (also known as SciSearch®), PubMed, and PubMed Central. The 2019 edition of Journal Citation Reports[®] cites the 2018 impact factor for WJGO as 2.758 (5-year impact factor: 3.220), ranking WJGO as 52 among 84 journals in gastroenterology and hepatology (quartile in category Q3), and 131 among 229 journals in oncology (quartile in category Q3).

RESPONSIBLE EDITORS FOR THIS ISSUE

Responsible Electronic Editor: Lu-Lu Qi

Proofing Production Department Director: Xiang Li Responsible Editorial Office Director: Jin-Lei Wang

NAME OF JOURNAL

World Journal of Gastrointestinal Oncology

ISSN 1948-5204 (online)

LAUNCH DATE

February 15, 2009

FREQUENCY

Monthly

EDITORS-IN-CHIEF

Monjur Ahmed, Rosa M Jimenez Rodriguez, Pashtoon Kasi

EDITORIAL BOARD MEMBERS

https://www.wjgnet.com/1948-5204/editorialboard.htm

PUBLICATION DATE

May 15, 2020

COPYRIGHT

© 2020 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

https://www.wjgnet.com/bpg/gerinfo/204

GUIDELINES FOR ETHICS DOCUMENTS

https://www.wjgnet.com/bpg/GerInfo/287

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

https://www.wignet.com/bpg/gerinfo/240

PUBLICATION ETHICS

https://www.wjgnet.com/bpg/GerInfo/288

PUBLICATION MISCONDUCT

https://www.wjgnet.com/bpg/gerinfo/208

ARTICLE PROCESSING CHARGE

https://www.wjgnet.com/bpg/gerinfo/242

STEPS FOR SUBMITTING MANUSCRIPTS

https://www.wjgnet.com/bpg/GerInfo/239

ONLINE SUBMISSION

https://www.f6publishing.com

© 2020 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA E-mail: bpgoffice@wjgnet.com https://www.wjgnet.com





Submit a Manuscript: https://www.f6publishing.com

World J Gastrointest Oncol 2020 May 15; 12(5): 601-603

DOI: 10.4251/wjgo.v12.i5.601

LETTER TO THE EDITOR

ISSN 1948-5204 (online)

Espresso coffee, caffeine and colon cancer

Anna Vittoria Mattioli, Alberto Farinetti

ORCID number: Anna Vittoria Mattioli (0000-0003-1487-9530): Alberto Farinetti (0000-0003-2133-3595).

Author contributions: Mattioli AV and Farinetti A developed the idea; Mattioli AV wrote the letter; all authors read, revised and approved the final manuscript.

Conflict-of-interest statement: Authors declare no conflict of interests for this article.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: http://creativecommons.org/licen ses/by-nc/4.0/

Manuscript source: Unsolicited manuscript

Received: March 15, 2020 Peer-review started: March 15, 2020 First decision: April 2, 2020 Revised: April 10, 2020 Accepted: May 5, 2020 Article in press: May 5, 2020 Published online: May 15, 2020

P-Reviewer: Dai ZJ, Lohsiriwat V,

Sang LX S-Editor: Yan JP L-Editor: A

Anna Vittoria Mattioli, Alberto Farinetti, Surgical, Medical and Dental Department of Morphological Sciences related to Transplant, Oncology and Regenerative Medicine, University of Modena and Reggio Emilia, Modena 41124, Italy

Corresponding author: Anna Vittoria Mattioli, FACC, MD, PhD, Associate Professor, Surgical, Medical and Dental Department of Morphological Sciences related to Transplant, Oncology and Regenerative Medicine, University of Modena and Reggio Emilia, Via del pozzo, Modena 41124, Italy. annavittoria.mattioli@unimore.it

Abstract

The present letter to editor is related to "Cui WQ, Wang ST, Pan D, Chang B, Sang LX. Caffeine and its main targets of colorectal cancer. World I Gastrointest Oncol 2020; 12(2): 149-172 [DOI: 10.4251/wjgo.v12.i2.149]".

Key words: Espresso coffee; Caffeine; Colon cancer; Oxidative stress; Women; Antioxidants

©The Author(s) 2020. Published by Baishideng Publishing Group Inc. All rights reserved.

Core tip: In this letter we contribute to discussion on "Caffeine and its main targets of colorectal cancer". We evaluated the impact of espresso coffee intake in patients with colorectal cancer and we analyzed gender differences. The hypothesis is that espresso coffee adds some antioxidants substances that contribute to total antioxidants in a healthy diet. We explore a Mediterranean population that has a diet rich in antioxidants, with high intake of fruit and vegetables.

Citation: Mattioli AV, Farinetti A. Espresso coffee, caffeine and colon cancer. World J Gastrointest Oncol 2020; 12(5): 601-603

URL: https://www.wjgnet.com/1948-5204/full/v12/i5/601.htm

DOI: https://dx.doi.org/10.4251/wjgo.v12.i5.601

TO THE EDITOR

We have read with great interest the paper "Caffeine and its main targets of colorectal cancer" by Cui et al[1] and we found their conclusion of importance for clinical prevention. They review the biological effects of caffeine and summarize the



E-Editor: Qi LL



association between colorectal cancer and caffeine. They concluded that the majority of studies support the hypothesis that caffeine has a protective effect on colorectal cancer. However, because quantity of caffeine in caffeine-containing drinks is difficult to standardize, epidemiological studies in humans cannot draw consistent conclusions. With reference to the data reported in the manuscript by Cui *et al*^[1], we would like to make a contribution to the discussion.

Lifestyle and nutrition strongly influence the development and prognosis of colon cancer^[2]. Specifically, Mediterranean diet has been associated with a low incidence of digestive tract cancer. The Mediterranean diet is a healthy and sustainable Diet, characterized by high intake of polyphenols. Coffee contributes to total polyphenols in the diet. Specifically, the espresso coffee is the most popular kind of coffee in Mediterranean countries^[3,4]. The concentration of antioxidants varies according to coffee preparation (mocha, percolated, espresso, filtered) and to the composition of coffee (*i.e.*, Arabica). Both these factors influence the bioavailability of antioxidants compounds. High antioxidants intake is an important tool in the prevention of atherosclerosis both in men and women and also prevents the onset of atrial fibrillation^[5,6].

Similarly to what described by Cui et al[1] for caffeine, also the beneficial effects derived from polyphenols appear to be mediated by several biochemical pathways and signalling mechanisms acting either independently or synergistically. Oxidative stress plays a dominant part in the causation of carcinogenesis. We also would like to suggest that there is a difference between men and women in carcinogenesis mediated by oxidative stress. In animal studies, oxidative stress seems to be higher in male than female. In individuals, the biomarkers of oxidative stress are higher in young men than in women^[6,7]. We are evaluating the difference in caffeine intake between men and women with colon cancer. The study is ongoing, Preliminary data were collected using a self-administered food frequency validated questionnaire[8]. Caffeine consumption was specifically estimated as: Number of cups of coffee, type of coffee (espresso, American, decaffeinated, cappuccino), caffeinated soft drinks (i.e., cola, energy drinks), tea (number of cups, quality of tea, duration of infusion), and number of chocolate snacks usually consumed. We estimated caffeine intake as 1 cup of espresso coffee = 90 mg, 1 cappuccino = 110 mg, 1 cup of American coffee = 160 mg, 1 can of cola soda = 42 mg, 1 can of energy drink according to manufacturer indications and one chocolate snack about 6 mg. Mediterranean population are used to drink espresso coffee (98% of our population) and/or cappuccino leading to homogenous caffeine estimation^[8]. We also collect data on changes in lifestyle occurred after diagnosis of colon cancer.

The paper by Cui *et al*^[1] deeply analysed the pathways linked to caffeine intake, considering that coffee is the most popular caffeinated drink we could hypothesized that anti-oxidants and caffeine play synergistically. Coffee contains many components other than caffeine, *i.e.*, phenolic antioxidants principally of chlorogenic acids. Coffee polyphenols have anticarcinogenic properties, as well as antihypertensive, hypoglycemic and hypolipidemic effects^[7,9]. Chlorogenic acids act as nutraceutical and food additives, making such molecules good candidates as a component of healthy diet^[9].

We agree with Cui *et al*^[1] that additional studies, preferably prospective and interventional, are needed in order to investigate the mechanism of caffeine's effects on colorectal cancer, with a focus on differences between men and women. It is quite difficult to perform an interventional study on food and/or beverages, however evaluation of specific biomarkers would help to get useful information on differences between men and women.

REFERENCES

- 1 Cui WQ, Wang ST, Pan D, Chang B, Sang LX. Caffeine and its main targets of colorectal cancer. World J Gastrointest Oncol 2020; 12: 149-172 [PMID: 32104547 DOI: 10.4251/wjgo.v12.i2.149]
- Farinetti A, Zurlo V, Manenti A, Coppi F, Mattioli AV. Mediterranean diet and colorectal cancer: A systematic review. Nutrition 2017; 43-44: 83-88 [PMID: 28935150 DOI: 10.1016/j.nut.2017.06.008]
- Wiseman M. The second World Cancer Research Fund/American Institute for Cancer Research expert report. Food, nutrition, physical activity, and the prevention of cancer: a global perspective. *Proc Nutr Soc* 2008; 67: 253-256 [PMID: 18452640 DOI: 10.1017/S002966510800712X]
- 4 Mattioli AV, Coppi F, Migaldi M, Scicchitano P, Ciccone MM, Farinetti A. Relationship between Mediterranean diet and asymptomatic peripheral arterial disease in a population of pre-menopausal women. Nutr Metab Cardiovasc Dis 2017; 27: 985-990 [PMID: 29074382 DOI: 10.1016/j.numecd.2017.09.011]
- Campesi I, Marino M, Cipolletti M, Romani A, Franconi F. Put "gender glasses" on the effects of phenolic compounds on cardiovascular function and diseases. *Eur J Nutr* 2018; 57: 2677-2691 [PMID: 29696400 DOI: 10.1007/s00394-018-1695-0]
- 6 Sciomer S, Moscucci F, Maffei S, Gallina S, Mattioli AV. Prevention of cardiovascular risk factors in

- women: The lifestyle paradox and stereotypes we need to defeat. Eur J Prev Cardiol 2019; 26: 609-610 [PMID: 30373379 DOI: 10.1177/2047487318810560]
- 7 Mattioli AV, Sciomer S, Moscucci F, Maiello M, Cugusi L, Gallina S, Dei Cas A, Lombardi C, Pengo M, Parati G, Barilla F, Ciccone MM, Palmiero P, Mercuro G, Maffei S. Cardiovascular prevention in women: a narrative review from the Italian Society of Cardiology working groups on 'Cardiovascular Prevention, Hypertension and peripheral circulation' and on 'Women Disease'. *J Cardiovasc Med (Hagerstown)* 2019; **20**: 575-583 [PMID: 31246698 DOI: 10.2459/JCM.0000000000000831]
- Mattioli AV, Bonatti S, Zennaro M, Melotti R, Mattioli G. Effect of coffee consumption, lifestyle and acute life stress in the development of acute lone atrial fibrillation. J Cardiovasc Med (Hagerstown) 2008; 9: 794-798 [PMID: 18607243 DOI: 10.2459/JCM.0b013e3282f64554]
- Mattioli AV, Migaldi M, Farinetti A. Coffee in hypertensive women with asymptomatic peripheral arterial disease: a potential nutraceutical effect. *J Cardiovasc Med (Hagerstown)* 2018; 19: 183-185 [PMID: 29489740 DOI: 10.2459/JCM.0000000000000626]



Published By Baishideng Publishing Group Inc 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com
Help Desk:https://www.f6publishing.com/helpdesk
https://www.wjgnet.com

