

This is the peer reviewed version of the following article:

Corrigendum to "Preparation for reuse activity of waste electrical and electronic equipment: Environmental performance, cost externality and job creation" (Journal of Cleaner Production (2019) 222 (77-89), (S0959652619306870), (10.1016/j.jclepro.2019.03.004)) / Pini, M.; Lolli, F.; Balugani, E.; Gamberini, R.; Neri, P.; Rimini, B.; Ferrari, A. M.. - In: JOURNAL OF CLEANER PRODUCTION. - ISSN 0959-6526. - 232:(2019), pp. 1529-1530. [10.1016/j.jclepro.2019.06.112]

Terms of use:

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

23/05/2024 04:34

(Article begins on next page)

Corrigendum

Corrigendum to **Preparation for reuse activity of waste electrical and electronic equipment: Environmental performance, cost externality and job creation**
Journal of Cleaner Production 222 (2019) 77e89

Martina Pini, Francesco Lolli, Elia Balugani, Rita Gamberini,
Paolo Neri, Bianca Rimini, Anna Maria Ferrari

Department of Sciences and Methods for Engineering,
University of Modena and Reggio Emilia, Via Amendola, 2,
42122 Reggio Emilia, Italy

DOI: 10.1016/j.jclepro.2019.06.112

Link: <https://linkinghub.elsevier.com/retrieve/pii/S0959652619320670>

The authors regret some errors with the notation of decimals in tables 8, 11, 12, 13 and 14. Following, the authors report the correct number values per each of the above mentioned tables.

Table 1 Repair time spent for preparing for reuse of WEEE

Product	Check + Disassembly and Replacement (Scenario a/b)+ Cleaning [hours]
Refrigerator (R1)	0,5 + 1,504/1,5 + 0,25
Washing machine (R2)	0,5 + 1,504/1,5 + 0,25
LCD (R3)	0,5 + 0,503/0,5 + 0,25
Laptop (R4)	1,5 [§] + 0,503/0,75 + 0,033
Fluorescent lamp (R5)	0,0833 + 0,501/0,5 + 0*

[§] This time considers check, formatting and installation of new operating system (e.g. Linux).

* For this product category no clean operation was assumed.

**Table 2 External cost of the life cycles of new and reused EEE per each EEE group -
Attributional LCI modelling**

External cost K€	R1	R2	R3	R4	R5
<i>New</i>	1,129	2,189	1,131	1,192	0,099
<i>Scenario A-a</i>	1,022	1,426	0,606	1,915	0,125
<i>Scenario A-b</i>	0,845	0,929	0,439	1,017	0,082
<i>Scenario B-a</i>	0,732	1,33	0,392	0,303	0,094

<i>Scenario B-b</i>	0,703	0,877	0,328	0,211	0,066
---------------------	-------	-------	-------	-------	-------

Table 3 External cost of the life cycles of new and reused EEE per each EEE group- Consequential LCI modelling

External cost K€	R1	R2	R3	R4	R5
<i>New</i>	-0,720	-0,226	0,234	0,361	-0,026
<i>Scenario A-a</i>	-9,506	-2,108	-4,213	-0,455	-0,099
<i>Scenario A-b</i>	-9,566	-2,057	-4,034	-0,909	-0,070
<i>Scenario B-a</i>	-9,398	-2,021	-3,689	-1,227	0,001
<i>Scenario B-b</i>	-9,408	-1,820	-3,781	-1,236	-0,019

Table 4 Evaluation of job creation increase adopting the reuse approach for both considered scenarios - Attributional LCI modelling

Job creation [p*]	R1	R2	R3	R4	R5
<i>Scenario A (a-b)</i>	0,504	0,455	0,436	0,834	0,111
<i>Scenario B (a-b)</i>	0,541	0,444	0,449	0,916	0,109

* 1 p corresponds to 1 job create by reuse activities

Table 5 Evaluation of job creation increase adopting the reuse approach for both considered scenarios - Consequential LCI modelling

Job creation [p*]	R1	R2	R3	R4	R5
<i>Scenario A (a-b)</i>	0,690	0,690	0,626	1,010	1,296
<i>Scenario B (a-b)</i>	0,689	0,689	0,563	1,134	1,1

* 1 p corresponds to 1 job create by reuse activities

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.jclepro.2019.03.004>

* Corresponding author.

E-mail address: martina.pini@unimore.it (M. Pini).