

This is the peer reviewed version of the following article:

Lesions Mimicking Melanoma at Dermoscopy Confirmed Basal Cell Carcinoma: Evaluation with Reflectance Confocal Microscopy / Peccerillo, Francesca; Mandel, Victor Desmond; DI TULLIO, Francesca; Ciardo, Silvana; Chester, Johanna; Kaleci, Shaniko; DE CARVALHO, Nathalie; DEL DUCA, Ester; Giannetti, Luca; Mazzoni, Laura; Nisticò, Steven Paul; Stanganelli, Ignazio; Pellacani, Giovanni; Farnetani, Francesca. - In: DERMATOLOGY. - ISSN 1018-8665. - 235:1(2019), pp. 35-44. [10.1159/000493727]

*Terms of use:*

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

21/01/2025 20:41

(Article begins on next page)

## **Lesions mimicking melanoma at dermoscopy confirmed basal cell carcinoma: evaluation with reflectance confocal microscopy**

Peccerillo Francesca,<sup>1</sup> Mandel Victor Desmond,<sup>1</sup> Di Tullio Francesca,<sup>1</sup> Ciardo Silvana,<sup>1</sup> Chester Johanna,<sup>1</sup> Kaleci Shaniko,<sup>1</sup> De Carvalho Nathalie,<sup>1,3</sup> Del Duca Ester,<sup>2</sup> Mazzoni Laura,<sup>3</sup> Nisticò Steven Paul,<sup>4</sup> Stanganelli Ignazio,<sup>3</sup> Pellacani Giovanni,<sup>1</sup> Farnetani Francesca<sup>1</sup>

<sup>1</sup>*Department of Surgical, Medical, Dental and Morphological Sciences with Interest transplant, Oncological and Regenerative Medicine; Dermatology Unit; University of Modena and Reggio Emilia, Modena, Italy;*

<sup>2</sup>*Division of Dermatology, Department of Systems Medicine, University of Rome Tor Vergata, Rome, Italy;*

<sup>3</sup>*Skin cancer Unit Scientific Institute of Romagna for the Study and Treatment of Cancer IRCSS IRST, Meldola, Italy;*

<sup>4</sup>*Dermatology Department of Health Sciences, 'Magna Graecia' University of Catanzaro, Catanzaro, Italy.*

### **Background**

Atypical basal cell carcinoma (BCC), characterized by equivocal dermoscopic features typical of malignant melanoma (MM), can be difficult to diagnose. Reflectance confocal microscopy (RCM) enables *in vivo* imaging at nearly histological resolution.

### **Objectives**

To evaluate BCCs mimicking melanoma at dermoscopy according to well-known RCM criteria for typical BCCs, and identify discriminate RCM parameters for superficial (sBCCs) and nonsuperficial BCCs (nsBCCs).

### **Material and Methods**

A retrospective analysis of consecutive patients, evaluated with RCM, selecting excised lesions classified at dermoscopy with  $\geq 1$  score from the revisited seven-point checklist, mimicking melanoma, registered between 2010 - 2016. Lesions without RCM melanocytic parameters, were investigated by operators blinded to histopathology diagnoses. Cluster analysis identified BCC sub-classifications.

### **Results**

Of 178 atypical lesions, 34 lesions were diagnosed BCC with RCM, and diagnoses were confirmed with histopathology. Dermoscopic features observed atypical network (55.9%), and regressions structures (35.5%) associated with sBCCs, and atypical vascular pattern (58.8%) and irregular blotches (58.8%) with nsBCC. Hierarchical cluster analysis identified 2 clusters: cluster 1 (100% sBCCs) was characterized by the presence of cords connected to the epidermis (90%,  $p < 0.001$ ), tumor islands located in the epidermis (100%,  $p < 0.001$ ), smaller vascular diameter (100%,  $p < 0.001$ ) and solar elastosis (90%,  $p = 0.017$ ) and cluster 2 (nsBCCs 85%) by the dermic location of tumor islands (87.5%,  $p < 0.001$ ) with branch-like structures (70.8%,  $p = 0.007$ ) and surrounding collagen (83.3%,  $p = 0.012$ ), peripheral palisading (83.3%,  $p = 0.012$ ), and coiled vascular morphology (79.2%,  $p < 0.001$ ) with larger vascular diameter (50%,  $p < 0.001$ ).

## **Conclusions**

RCM is able to diagnose BCCs mimicking melanoma at dermoscopy and seems able to identify sBCCs and nsBCCs. Therefore, the use of RCM may assist in optimizing therapeutic management of these equivocal lesions.