

This is a pre print version of the following article:

Personnel scheduling during Covid-19 pandemic / Zucchi, Giorgio; Iori, Manuel; Subramanian, Anand. - In: OPTIMIZATION LETTERS. - ISSN 1862-4472. - 15:4(2021), pp. 1385-1396. [10.1007/s11590-020-01648-2]

Terms of use:

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

24/09/2024 17:18

(Article begins on next page)

Personnel scheduling during Covid-19 pandemic

Giorgio Zucchi¹, Manuel Iori², and Anand Subramanian³

- ¹FMB, Marco Biagi Foundation, University of Modena and Reggio Emilia, Largo Marco Biagi 10, 41121 Modena, Italy
¹R&D department, Coopservice S.coop.p.a, Via Rochdale 5, 42122 Reggio Emilia, Italy
²DISMI, Department of Sciences and Methods for Engineering, University of Modena and Reggio Emilia, 42122 Reggio Emilia, Italy
³Departamento de Sistemas de Computação, Centro de Informática, Universidade Federal da Paraíba, Rua dos Escoteiros, Mangabeira, 58055-000, João Pessoa-PB, Brazil

Abstract

This paper addresses a real-life personnel scheduling problem in the context of Covid-19 pandemic, arising in a large Italian pharmaceutical distribution warehouse. In this case study, the challenge is to determine a schedule that attempts to meet the contractual working time of the employees, considering the fact that they must be divided into mutually exclusive groups to reduce the risk of contagion. To solve the problem, we propose a mixed integer linear programming formulation (MILP). The solution obtained indicates that optimal schedule attained by our model is better than the one generated by the company. In addition, we performed tests on random instances of larger size to evaluate the scalability of the formulation. In most cases, the results found using an open-source MILP solver suggest that high quality solutions can be achieved within an acceptable CPU time. We also project that our findings can be of general interest for other personnel scheduling problems, especially during emergency scenarios such as those related to Covid-19 pandemic.

Keywords— Personnel scheduling, Covid-19, risk, integer programming

1 Introduction

Personnel scheduling problems traditionally consist of optimizing work timetables, i.e., determining the appropriate times and shifts the employees of a company should work. Several objectives can be considered, such as minimizing duty costs, maximizing productivity, or minimizing the number of employees. The solutions generated must meet different criteria, for example, maximum number of working days, maximum amount of working hours, and so on. Due to the recent Covid-19 pandemic, we introduce a novel and emerging aspect: the risk of contagion among the workers. Covid-19 is now widely known to be highly contagious, and the interested reader may refer to, e.g., [9, 11] and [16]

for further information regarding the transmission of the virus and the source of the disease, respectively.

While there is a rich body of literature on how governments can avoid the spread of pandemic diseases [e.g., 1, 7], the same does not happen when it comes to investigating optimized personnel scheduling policies that take into account the risk of disease spreading in specific environments. This is the case of companies that must remain open to provide essential services during a possible quarantine period. In this work, we attempt to start filling this gap by studying and solving a real-world personnel scheduling problem during Covid-19 pandemic, arising in a large Italian pharmaceutical distribution warehouse operated by Coopservice [3]. It consists of a large service company operating in several fields such as transportation, logistics, cleaning and security services.

There is a vast literature on personnel scheduling and we refer to [5, 6, 17] for detailed surveys and to [2] for models and complexity results. According to the classification scheme presented in [5], we can categorize the scheduling made by the company before and after Covid-19 pandemic as demand-based and shift-based, respectively. The latter is extensively adopted in nurse scheduling studies [e.g., 4, 14]. In particular, a variant of the problem was tackled in [18], in which nurses with the same skills, or that are married to each other and with children, were not allowed to work together during the same shift. This situation somewhat resembles the one found in our problem (see Section 2), where an employee originally assigned to a sector can no longer be reassigned to another one during the workday, as it often happened before the pandemic. More recently, the study described in [15] proposed and solved a nurse rostering problem arising in Covid-19 pandemic, where the author considered an emergency scenario by allowing nurses to work in multiple shifts during a workday. The objective was to decrease the occurrences of shifts with an insufficient number of nurses, and to balance the schedules by minimizing the working hours of the nurses.

To solve the problem introduced in this paper, we propose a mathematical formulation based on mixed integer linear programming (MILP). The results obtained show that our optimized solution is capable of improving the manual one produced by the company by 37.3%, while keeping the same number of workers. In addition, we demonstrate that the model is capable of obtaining, on average, high quality solutions on larger instances generated at random within an acceptable CPU time.

The remainder of the paper is organized as follows. Section 2 formally introduces our personnel scheduling problem. Section 3 shows the solutions adopted by the company before and after Covid-19 pandemic, as well as the performance measures used to evaluate the solutions. Section 4 describes the proposed mathematical model. Section 5 contains the results of the computational experiments. Finally, Section 6 presents the concluding remarks.

2 Problem description

The activities that Coopservice need to perform are to receive, organize and distribute pharmaceutical products to hospitals. The company manages large regional warehouses in Italy, where goods are received, stored, picked-up, and finally delivered to the hospitals, according to their demand. Therefore, Coopservice deals with the totality of the pharmaceutical supply chain: from the inbound activity to the last-mile delivery [10].

In this work, we study the case of a regional warehouse located in Tuscany, one of the largest regions in Italy. The warehouse is composed of two floors: the top floor stores all pharmacological items (e.g., antiblastic, fridge drugs, toxic and inflammable), whereas the ground floor the non-pharmacological ones (food, paper, plastic, masks, gloves, syringes, etc.). Each floor has two working sectors, thus leading to a total of four sectors. There are 23 employees working in the warehouse. In the following, we use E and A to define the sets of employees and sectors, respectively.

The arise of Covid-19 brought into light a new issue that affected the movement of workers in the warehouse. Before the pandemic, all of them could move from one sector to the other, when required, during the workday. This became no longer possible during the pandemic period, meaning that each employee $e \in E$ should work in exactly one sector $a \in A$ during the workday, with a view of avoiding contagion. As a result, the company was forced to modify the personnel scheduling policy by creating groups of employees that must always work together, both in the same shift and in the same sector.

In our problem, we also consider a set of shifts S where the employees can work. We denote by $s = 1$ and $s = 2$ the morning and afternoon shifts, respectively, from Monday to Friday. Because of the emergency scenario, employees must also work in sector $a = 1$ on Saturday morning, here referred to as shift $s = 3$. Each shift $s \in S$ has a maximum amount of weekly working hours for each sector $a \in A$, represented by λ_{sa} .

To balance the activities, each group of employees alternate their shift every week, i.e., if a group works on the morning shift during a week, in the next week the same group will have to work on the afternoon shift. Moreover, for each sector $a \in A$ and each shift $s \in S$, we define by τ_{sa} the weekly minimum amount of working hours imposed by the company to ensure the required productivity level. In addition, each employee $e \in E$ has a contractual amount of working hours h_e^{max} per week. Finally, we define c_{ea} as a binary input parameter indicating whether employee $e \in E$ can work in sector $a \in A$ ($c_{ea} = 1$) or not ($c_{ea} = 0$). This corresponds to the skill matrix of employees.

Let W be the set of weeks. The aim of this work is to solve the personnel scheduling problem for 2 consecutive weeks (i.e., $W = \{1, 2\}$), satisfying the new shift regulation for the emergency period issued by the authorities. The objective of the problem is to minimize the sum of the deviations from the contractual amount of working hours of each worker formally given by the absolute difference between the weekly working time in the solution and h_e^{max} . Both positive and negative deviations imply in additional costs for the company (if negative,

the missing hours need to be paid nevertheless to the worker, if positive, the extra hours impose an extra cost).

Table 1 shows the schedule manually built by the company to solve the problem for sector 1 before and after the pandemic. Note that the morning shift starts at 07:00 and finishes at 12:00, while the afternoon shift starts at 12:00 and finishes at 20:00. For each employee $e \in E$, we report the sum of weekly working hours $\sum h_e$ and the deviation Δ_{ew} in each $w \in W$ with respect to h_e^{max} . It can be seen that before the pandemic there was no deviation at all ($\Delta_{ew} = 0 \forall e \in E, w \in W$), whereas the same did not occur after the pandemic (where, e.g., employee 5 has a deviation of 10 working hours in week 2).

Table 1: Personnel scheduling for sector 1 before and after Covid-19 pandemic

Personnel scheduling for sector 1 before Covid-19 pandemic																		
Week 1																		
e	06-07	07-08	08-09	09-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	$s = 3$	$\sum h_e$	h_e^{max}	Δ_{e1}
1																30	30	0
2																30	30	0
3																40	40	0
4																40	40	0
5																30	30	0
6																30	30	0
Week 2																		
e	06-07	07-08	08-09	09-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	$s = 3$	$\sum h_e$	h_e^{max}	Δ_{e2}
1																30	30	0
2																30	30	0
3																40	40	0
4																40	40	0
5																30	30	0
6																30	30	0
Personnel scheduling for sector 1 after Covid-19 pandemic																		
Week 1																		
e	06-07	07-08	08-09	09-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	$s = 3$	$\sum h_e$	h_e^{max}	Δ_{e1}
1															6 h	31	30	1
2																30	30	0
3																40	40	0
4																40	40	0
5																30	30	0
6																30	30	0
Week 2																		
e	06-07	07-08	08-09	09-10	10-11	11-12	12-13	13-14	14-15	15-16	16-17	17-18	18-19	19-20	$s = 3$	$\sum h_e$	h_e^{max}	Δ_{e2}
1																30	30	0
2																30	30	0
3															6 h	36	40	4
4															6 h	36	40	4
5																40	30	10
6																40	30	10

3 Personnel scheduling in a normal scenario and during Covid-19 pandemic

In this section, we analyze the schedules adopted by the company before and after the pandemic. Table 2 reports the weekly value of Δ_{ew} for each employee. One can clearly observe that the schedule determined by the company in a normal scenario successfully met the amount of contractual working hours for all employees but 11, 18 and 21. The new schedule generated by the company led, however, to many deviations, as highlighted in the bottom part of the table.

In addition to the evaluation of Δ_{ew} , we also need to evaluate the contagion risk. To this aim, Figure 1 depicts a network graph, before and after the pandemic, where the vertices denote the employees and the edges indicate whether

Table 2: Weekly working hours before and after Covid-19 pandemic

Weekly working hours before Covid-19 pandemic											
Sector 1			Sector 2			Sector 3			Sector 4		
e	Δ_{e1}	Δ_{e2}	e	Δ_{e1}	Δ_{e2}	e	Δ_{e1}	Δ_{e2}	e	Δ_{e1}	Δ_{e2}
1	0	0	7	0	0	11	1	1	18	1	1
2	0	0	8	0	0	12	0	0	19	0	0
3	0	0	9	0	0	13	0	0	20	0	0
4	0	0	10	0	0	14	0	0	21	1	1
5	0	0				15	0	0	22	0	0
6	0	0				16	0	0	23	0	0
						17	0	0			

Weekly working hours after Covid-19 pandemic											
Sector 1			Sector 2			Sector 3			Sector 4		
e	Δ_{e1}	Δ_{e2}	e	Δ_{e1}	Δ_{e2}	e	Δ_{e1}	Δ_{e2}	e	Δ_{e1}	Δ_{e2}
1	1	0	7	10	0	11	1	4	18	6	1
2	0	0	8	0	10	12	0	0	19	0	5
3	0	4	9	0	10	13	5	0	20	5	0
4	0	4	10	0	10	14	5	0	21	4	1
5	0	10				15	5	0	22	5	0
6	0	10				16	0	5	23	0	5
						17	0	0			

a pair of employees worked together in the same shift and in the same sector (for at least one hour). From this graph representation, we introduced a contagion risk factor R to measure the risk of infection, based on the average vertex degree of the graph. Let G^{aw} be a graph associated with each sector $a \in A$ and each week $w \in W$. Every graph has a vertex-set $V(G^{aw})$ and edge-set $E(G^{aw})$. For each vertex $u \in V(G^{aw})$ we define $\Omega(u)$ as its corresponding degree (number of first neighbors). The risk factor R_{aw} for each sector a and for each week w is thus formally defined as:

$$R_{aw} = \frac{\sum_{u \in V(G^{aw})} \Omega(u)}{|V(G^{aw})|}. \quad (1)$$

We can then determine the value of the risk factor R_a for each sector a as follows:

$$R_a = \frac{\sum_{w \in W} R_{aw}}{|R_{aw}|}. \quad (2)$$

For example, when considering Sector 2, we can observe that the average vertex degree (i.e., the risk factor R) before and after the pandemic were 3 and 1, respectively.

Table 3 shows the average values of R for each sector before and after the pandemic. It can be seen that the new schedule visibly decreases the risk of disease spreading, as the values of R are considerably smaller, when compared to the previous situation.

Table 3: R values before and after Covid-19 pandemic in a company solution

	Sector 1	Sector 2	Sector 3	Sector 4
R_{before}	3.7	3.0	5.7	5.0
R_{after}	2.0	1.0	2.5	2.0




Figure 1: Network of relationships between employees, the vertices represent the employees and the edges indicate that they worked at least once at the same time in the same sector

4 Proposed mathematical formulation

Let x_{se}^{wa} be a binary variable assuming the value one if employee $e \in E$ is assigned to shift $s \in S$ to work in sector $a \in A$ in week $w \in W$, 0 otherwise. In addition, let y_{se}^{wa} be the amount of working hours spent in sector $a \in A$ by employee $e \in E$ assigned to shift $s \in S$ in week $w \in W$. Finally, the excess and lack of working hours associated with employee $e \in E$ in week $w \in W$ are defined by variables δ_{ew}^+ and δ_{ew}^- , respectively. The MILP formulation can be written as follows.

$$\min \Delta: \sum_{e \in E} \sum_{w \in W} \delta_{ew}^- + \delta_{ew}^+ \quad (3)$$

$$\text{s.t. } \sum_{a \in A} \sum_{s \in \{1,2\}} x_{se}^{wa} = 1 \quad w \in W, e \in E \quad (4)$$

$$\sum_{s \in \{1,2\}} x_{se}^{1a} = \sum_{s \in \{1,2\}} x_{se}^{2a} \quad a \in A, e \in E \quad (5)$$

$$\sum_{a \in A} \sum_{w \in W} x_{se}^{wa} = 1 \quad e \in E, s \in \{1,2\} \quad (6)$$

$$x_{3e}^{wa} \leq x_{1e}^{wa} \quad e \in E, a \in A, w \in W \quad (7)$$

$$x_{3e}^{wa} = 0 \quad w \in W, a \in \{2,3,4\}, e \in E \quad (8)$$

$$y_{se}^{wa} \leq \lambda_{sa} x_{se}^{wa} \quad w \in W, e \in E, a \in A, s \in S \quad (9)$$

$$\sum_{e \in E} y_{se}^{wa} \geq \tau_{sa} \quad w \in W, a \in A, s \in S \quad (10)$$

$$\sum_{a \in A} \sum_{s \in S} y_{se}^{wa} + \delta_{ew}^- - \delta_{ew}^+ = h_e^{max} \quad w \in W, e \in E \quad (11)$$

$$x_{se}^{wa} = 0 \quad w \in W, e \in E, a \in A, s \in S : c_{ea} = 0 \quad (12)$$

$$x_{se}^{wa} \in \{0,1\} \quad w \in W, e \in E, a \in A, s \in S \quad (13)$$

$$y_{se}^{wa} \geq 0 \quad w \in W, e \in E, a \in A, s \in S \quad (14)$$

$$\delta_{ew}^+, \delta_{ew}^- \geq 0 \quad e \in E, w \in W. \quad (15)$$

Objective function (3) minimizes the total deviation Δ between the amount of weekly contractual hours for each worker (h_e^{max}) and the actual working hours (y_{se}^{wa}). Constraints (4) impose that each employee must be weekly assigned to exactly one shift $s \in S$ and one sector $a \in A$. Constraints (5) ensure that if an employee $e \in E$ is designated to sector $a \in A$ in the first week ($w = 1$), he/she must work in the same sector in the next week ($w = 2$). Constraints (6) impose each employee to work in exactly one sector per shift. Constraints (7) state that an employee can only work on the Saturday shift ($s = 3$) if he/she is assigned to the morning shift $s = 1$ to work in sector $a = 1$. Constraints (8) forbid all employees to work in sectors 2, 3 and 4 on the Saturday shift. Constraints (9) enforce a maximum amount of weekly working hours, whereas constraints (10) ensure that the working hours requested for every shift in each sector are respected. Moreover, constraints (11) indicate the contractual amount of weekly working hours for each employee. Constraints (12) ensure the compatibility of designating an employee $e \in E$ to work in sector $a \in A$. Finally, constraints (13)–(15) define the domain of the variables.

5 Computational results

The model was coded in Python using PuLP [13] and executed on an Intel i5-8250U 1.60 GHz with 8 GB of RAM running Windows 10. CBC (<https://github.com/coin-or/Cbc>) from COIN-OR [12] was used as a MILP solver. A time limit of 600 seconds was imposed for each execution of the model.

Two scenarios were considered in our testing. Scenario I assumes that the

employees are only eligible to work on the same sectors associated with the solution generated by the company, i.e., the values of c_{ea} are taken directly from such solution. The goal is to verify whether it is possible to obtain an improved solution while keeping the same groups of employees per sector. In Scenario II, we use the values of c_{ea} provided by the company, which were determined according to the ability of a given employee $e \in E$ to work on a specific sector $a \in A$, thus allowing new groups of employees to be formed.

Table 4 compares the results produced by the company with those obtained in each of the two scenarios. It can be verified that solution found in Scenario I yielded an improvement of 9% with respect to the solution generated by the company after the pandemic. This can be considered a very good result, given that the groups of employees are the same in both solutions. Nevertheless, the gains in Scenario II were way more substantial. More precisely, allowing the model to form new groups of employees, while respecting their corresponding skills, led to an improvement of 37.3% on the value of Δ . We also mention that the CPU time in seconds spent by CBC in Scenarios I and II were 0.58 and 0.91, respectively, so the model was very quick in solving the instance.

The average values of R are the same for all scenarios, equaling the one obtained by the solution generated by the company after the pandemic. Note that it is not possible to improve the value of R any further because of constraints (10), which in turn impose a certain amount of working hours for each shift $s \in S$ and each sector $a \in A$.

Table 4: Comparison between the solutions produced by the company and by the model

a	w	Before		After		Scenario I		Scenario II			
		Δ	R	Δ	R	Δ	R	Δ	R		
1	1	0	3.70	1	2.00	14	2.00	8	1.83		
	2	0		28		14		8			
2	1	0	3.00	10	1.00	30	1.00	10	1.50		
	2	0		30		10		20			
3	1	1	5.70	16	2.50	5	2.50	5	2.00		
	2	1		9		16		6			
4	1	2	5.00	12	2.00	11	2.00	11	2.00		
	2	2		20		11		11			
Tot = 6		Avg = 4.4		Tot=126		Avg = 1.9		Tot = 111		Avg = 1.9	

We also conducted experiments on 27 randomly generated instances by varying the number of employees (25, 35, and 45) and sectors (3, 4, and 5), as well as by considering different probabilities for having $c_{ea} = 1$, namely, 65%, 75% and 85%. In this case, the goal is to measure the performance of the model in terms of scalability, solution quality and risk factor when trying to solve larger instances with different characteristics.

Table 5 presents the results found on these instances, where for each of them we report the CPU time in seconds, together with the gap, Δ and R values, respectively. One can see that only 7 instances were solved to optimality, but the average gaps were, in most cases, relatively small (below 5%), with the exception of instances E25-A3-85, E25-A4-65, E25-A5-75, and E35-A5-65.

Table 5: Results found by the proposed model on 27 randomly generated instances

instance	time	%gap	Δ	R	instance	time	%gap	Δ	R
E25-A3-65	0.85	0.00	63	3.16	E35-A4-85	600	3.96	62	3.37
E25-A3-75	1.16	0.00	46	3.16	E35-A5-65	600	14.98	74	2.50
E25-A3-85	600	15.14	74	3.16	E35-A5-75	600	2.81	66	2.50
E25-A4-65	600	10.59	75	2.12	E35-A5-85	600	0.00	44	2.50
E25-A4-75	600	0.00	71	2.12	E45-A3-65	0.67	0.00	118	6.50
E25-A4-85	600	0.00	68	2.12	E45-A3-75	0.90	0.00	98	6.50
E25-A5-65	600	1.37	73	1.50	E45-A3-85	36.34	0.00	85	6.50
E25-A5-75	600	7.46	73	1.50	E45-A4-65	600	1.62	88	4.62
E25-A5-85	600	3.04	35	1.50	E45-A4-75	600	2.20	91	4.62
E35-A3-65	0.93	0.00	48	4.83	E45-A4-85	600	0.00	92	4.62
E35-A3-75	2.40	0.00	60	4.83	E45-A5-65	600	2.27	96	3.50
E35-A3-85	600	3.01	56	4.83	E45-A5-75	600	1.25	97	3.50
E35-A4-65	600	4.00	62	3.37	E45-A5-85	600	1.87	67	3.50
E35-A4-75	600	0.00	60	3.37					

It is important to highlight that, for practical reasons, we decided to use CBC as a MILP solver, which is open-source and so easily adoptable in many applications. Nonetheless, for the sake of comparison, we also performed tests using Gurobi 9.02 [8], and it was observed that the optimal solutions for all instances were found in up to two seconds.

6 Concluding remarks

This paper studied a real-life personnel scheduling problem, motivated by Covid-19 pandemic, from a large Italian pharmaceutical distribution warehouse operated by Coopservice. A MILP formulation was proposed for the problem, which was solved using an open-source optimization software, namely CBC from COIN-OR. The optimal solution obtained by our formulation was capable of considerably improving the schedule adopted by the company. Tests were also performed on larger and randomly generated instances to measure the scalability of CBC when solving our model, and the results found were of high quality for the vast majority of the cases. In addition, we conducted experiments using Gurobi 9.02, which quickly managed to find the optimal solutions for all instances.

Because Coopservice spends a large part of its budget on human resources (more than 20,000 employees), it is crucial to have a strategy to properly manage the personnel, especially during emergency situations such as epidemic crises. In general, this problem faces the issue of reducing the risk of contagion, and of organizing the schedule of the shifts in these type of scenarios. Therefore, our findings can be of general interest, especially under the circumstances related to pandemics. The solution of this problem in the specific case of Coopservice is not only relevant for demonstrating a successful case study, but is also interesting

for many related applications. For example, the problem of organizing activities in close spaces or in warehouses with isles containing highly skilled employees that are not allowed to work together.

Acknowledgements

We acknowledge financial support by Coopservice and by University of Modena and Reggio Emilia (grant FAR 2018). This research was also partially supported by CNPq, grants 428549/2016-0 and 307843/2018-1.

References

- [1] Julia E Aledort, Nicole Lurie, Jeffrey Wasserman, and Samuel A Bozzette. Non-pharmaceutical public health interventions for pandemic influenza: an evaluation of the evidence base. *BMC public health*, 7(1):208, 2007.
- [2] Peter Brucker, Rong Qu, and Edmund Burke. Personnel scheduling: Models and complexity. *European Journal of Operational Research*, 210(3):467 – 473, 2011. ISSN 0377-2217.
- [3] Coopservice Scpa, 2020. URL <https://www.coopservice.it/>.
- [4] Omar El-Rifai, Thierry Garaix, and Xiaolan Xie. Proactive on-call scheduling during a seasonal epidemic. *Operations Research for Health Care*, 8: 53–61, 2016.
- [5] Andreas Ernst, Houyuan Jiang, Mohan Krishnamoorthy, Bowie Owens, and David Sier. An annotated bibliography of personnel scheduling and rostering. *Annals of Operations Research*, 127(1-4):21–144, 2004.
- [6] Andreas Ernst, Houyuan Jiang, Mohan Krishnamoorthy, and David Sier. Staff scheduling and rostering: A review of applications, methods and models. *European Journal of Operational Research*, 153(1):3–27, 2004.
- [7] Antoine Flahault, Elisabeta Vergu, Laurent Coudeville, and Rebecca F Grais. Strategies for containing a global influenza pandemic. *Vaccine*, 24 (44-46):6751–6755, 2006.
- [8] LLC Gurobi Optimization. Gurobi optimizer reference manual, 2020. URL <http://www.gurobi.com>.
- [9] Harapan Harapan, Naoya Itoh, Amanda Yufika, Wira Winardi, Synat Keam, Heyhpeng Te, Dewi Megawati, Zinatul Hayati, Abram L Wagner, and Mudatsir Mudatsir. Coronavirus disease 2019 (covid-19): A literature review. *Journal of Infection and Public Health*, 2020. ISSN 1876-0341. (article in press).

- [10] Raphael Kramer, Jean-François Cordeau, and Manuel Iori. Rich vehicle routing with auxiliary depots and anticipated deliveries: An application to pharmaceutical distribution. *Transportation Research Part E: Logistics and Transportation Review*, 129:162–174, 2019.
- [11] Heng Li, Shang-Ming Liu, Xiao-Hua Yu, Shi-Lin Tang, and Chao-Ke Tang. Coronavirus disease 2019 (covid-19): current status and future perspective. *International Journal of Antimicrobial Agents*, page 105951, 2020. ISSN 0924-8579. (article in press).
- [12] Robin Lougee-Heimer. The common optimization interface for operations research: Promoting open-source software in the operations research community. *IBM Journal of Research and Development*, 47(1):57–66, 2003.
- [13] Stuart Mitchell, Michael O’Sullivan, and Iain Dunning. PuLP: a linear programming toolkit for python. *The University of Auckland, Auckland, New Zealand*, 2011. URL http://www.optimization-online.org/DB_FILE/2011/09/3178.pdf.
- [14] Irem Ozkarahan and James E Bailey. Goal programming model subsystem of a flexible nurse scheduling support system. *IIE transactions*, 20(3):306–316, 1988.
- [15] Ruggiero Seccia. The Nurse Rostering Problem in COVID-19 emergency scenario. Technical report, DIAG - Sapienza University of Rome, 2020. URL http://www.optimization-online.org/DB_HTML/2020/03/7712.html.
- [16] Muhammad Adnan Shereen, Suliman Khan, Abeer Kazmi, Nadia Bashir, and Rabeea Siddique. Covid-19 infection: origin, transmission, and characteristics of human coronaviruses. *Journal of Advanced Research*, 24:91 – 98, 2020. ISSN 2090-1232.
- [17] Jorne Van den Bergh, Jeroen Beliën, Philippe De Bruecker, Erik Demeulemeester, and Liesje De Boeck. Personnel scheduling: A literature review. *European Journal of Operational Research*, 226(3):367 – 385, 2013. ISSN 0377-2217.
- [18] Greet Vanden Berghe. *An advanced model and novel meta-heuristic solution methods to personnel scheduling in healthcare*. PhD thesis, KU Leuven, Leuven, Belgium, 2002. URL <https://lirias.kuleuven.be/retrieve/88598>.